










|   |  |                        |  |
|---|--|------------------------|--|
|  | <b>During Production Inspection Report</b> |                        | Conclusion  |
|   | Client (abbr.):                            | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                             | Q51582EY               |  |
|   | Report Date:                               | 9 May 2020             | Page 1 / 49  |

| I. GENERAL INFORMATION |   |  How to read the report |
|------------------------|---|--|
| Client:                | MJH International B.V.  |                          |
| Supplier:              | Guangzhou Bofeite Safety Protective Supplies Co., Ltd   |  |
| Factory:               | Guangzhou Bofeite Safety Protective Supplies Co., Ltd   |  |
| Product Name:          | Disposable mask KN95  |  |
| P.O. No.:              | FZXQ2002  |  |
| Item No.:              | HT9510  |  |
| Order Quantity:        | 5.1.1c  |  |
| Sample Size:           |   |  |
| Man-day Quantity:      | 1 Man-day(s)  |  |
| Destination:           | The Netherlands   |  |
| Inspection Date:       | 9 May 2020  |  |
| Re-Inspection:         | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No   |  |
| Reference Sample:      | <input checked="" type="checkbox"/> No Reference Sample On-site <input type="checkbox"/> Product Specification <input type="checkbox"/> P.O. <input type="checkbox"/> Packaging Spec. |  |
| Available Quantity:    | 5.1.1c<br>(Production Completion rate: 8%<br>Packing Completion rate: 0.2%)   |  |
| Inspection Location:   | Guangzhou, Guangdong Province <a href="#">GPS Map</a> (Longitude: 113.674431, Latitude: 23.173534 )   |  |

| II. INSPECTION SUMMARY   |  |        |         |                |
|--|--|--------|---------|----------------|
|  | Passed*  | Failed | Pending | Not Applicable |
| A. <u>Quantity</u>    | √  |        |         |                |
| B. <u>Workmanship</u>  | √  |        |         |                |
| C. <u>On-Site Tests</u>  | √  |        |         |                |
| D. <u>Product Specification</u>  |  |        |         | √              |
| E. <u>Packing</u>  | √  |        |         |                |
| F. <u>Marking &amp; Labeling</u>   | √  |        |         |                |
| G. <u>Production line checking</u>   | √  |        |         |                |
| H. <u>Client Special Requirements</u>  |  |        |         | √              |
| I. <u>Production Schedule</u>  | Estimate the PSI inspection can be done on 12 May 2020.<br>Estimate the date 11 May 2020 when the goods would be finished and completely packed. |        |         |                |
| J. <u>Photos</u> <a href="#">K. Videos</a>  <a href="#">L. Form</a> |  Click on any title here to view more details.                |        |         |                |

\* The Passed results will be valid only after the client **notes and accepts** the issues in the following remarks.

|   |   |
|---|---|
| <b>AQL Result</b> (AQL is the abbr. of Acceptance Quality Limits) |  <a href="#">What is AQL</a> |
|---|---|

|   |                                     |                        |  |
|---|-------------------------------------|------------------------|--|
|  | During Production Inspection Report |                        | Conclusion  |
|   | Client (abbr.):                     | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                      | Q51582EY               |  |
|   | Report Date:                        | 9 May 2020             | Page 2 / 49  |



| Inspection Sampling Level: <b>AQL Fixed Sample Size</b> |             |            |              |        |                   |
|---|-------------|------------|--------------|--------|-------------------|
| Sample Size: <b>5.1.1c</b>                              |             |            |              |        |                   |
| AQL Level   | Sample Size | Acceptance | Actual Found | Result | AQL Result        |
| Critical: Not Allowed                                   | 5.1.1c      | 0          | 0            | Passed | <b>Within AQL</b> |
| Major: 2.5  |             | 21         | 3            | Passed |                   |
| Minor: 4.0  |             | 21         | 6            | Passed |                   |

\* For detailed photos & description, please refer to Section B.

| Client Special Requirements |     |     |
|-----------------------------|-----|-----|
| 1.                          | Nil | N/A |

\* For detailed photos & description, please refer to Section H.

| III. REMARKS  |   |
|---|---|
| <b>Problem Remarks</b> - Need to be confirmed by client |   |
| 1.  | Nil   |
| <b>General Remarks</b> - For client reference           |   |
| 2.  | No barcode was found on carton box, but it was request by client. Please refer to below photos for detail.  |
| 3.  | Bulgy mark was found on the gift box in all selected samples. Please refer to below photos for detail.  |
| 4.  | Chinese words was found on the gift box and carton box in all selected samples. Please refer to below photos for detail.  |
| 5.  | The factory only packed 1carton box( <b>5.1.1c</b> units) for inspector to take photo and check quality, the other finish product were still under packing.   |
| 6.  | <b>5.1.1c</b> masks were sealed onsite and the factory claimed that they would send the samples to the laboratory after finishing the internal application process.   |
| 7.  | No CE and WEEE marking was found on the package.  |
| 8.  | GB 2626:2006 test report was provided for checking during inspection.   |
| 9.  | No silica gel was found inside the package.   |
| 10.   | When the inspector left the factory, the factory had not started repacking the inspected samples.   |
| 11.   | <p>Base on our finding of materials/accessories/semi-finished products/finished products/the production line, we recommend the manufacturer to make improvement or pay attention on follow up mass production:</p> <ul style="list-style-type: none"> <li>- Pay more attention and improve the self-inspection on the defectives: <u>Dirty mark on surface</u>.</li> <li>- Pay more attention to Poor cutting.</li> <li>- Improve the frequency /standard of inspection on process of /.</li> <li>- Keep the production lines clean and tidy.</li> </ul> <p>Lubricate and maintain the production machines well to ensure it in a good condition.</p> <ul style="list-style-type: none"> <li>- Array and stock raw materials/semi-finished products/finished products in good order to avoid confused or damaged.</li> <li>- Identify the defective products with marking / labeling to avoid it mixed with the conforming product.</li> <li>- To ensure the reworked and repaired products being re-inspected before release.</li> <li>- Promote the ability/skill/ awareness of inspector.</li> <li>- Make more training/explaining on main points of requirements to operators for process: /.</li> <li>- /</li> </ul> |
| 12.   | The factory was requested to repair/replace the defective products our inspector found during the inspection.   |
| <b>Factory Information</b>                              |   |


|   |                                     |                        |  |
|---|-------------------------------------|------------------------|--|
|  | During Production Inspection Report |                        | Conclusion  |
|   | Client (abbr.):                     | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                      | Q51582EY               |  |
|   | Report Date:                        | 9 May 2020             | Page 3 / 49  |



|     |  |
|-----|--|
| 13. | <b>Factory cooperation:</b><br><input type="checkbox"/> Good - Enough manpower to assist, and good cooperation.<br><input checked="" type="checkbox"/> <b>Average - Enough manpower to assist.</b><br><input type="checkbox"/> Poor - Manpower, equipment or document not provided timely.   |
| 14. | <b>Number of workers in factory:</b><br><input type="checkbox"/> Less than 50 people<br><input type="checkbox"/> 50-100 people<br><input checked="" type="checkbox"/> <b>100-500 people</b><br><input type="checkbox"/> 500-1000 people<br><input type="checkbox"/> More than 1000 people<br><input type="checkbox"/> Unknown  |
| 15. | <b>The observed level of production/manufacturing activity at the inspection site was:</b><br><input type="checkbox"/> Extremely busy<br><input checked="" type="checkbox"/> <b>Normal activity</b><br><input type="checkbox"/> Low activity / No production<br><input type="checkbox"/> N/A (Reasons: Inspection was held at warehouse or port. / Inspector had no access to workshops. / Factory was unwilling to disclose information, etc) |
| 16. | <b>Inspector's opinion on the factory:</b><br><input type="checkbox"/> Good - The factory was neat and tidy. The testing equipment was well maintained and calibrated.<br><input checked="" type="checkbox"/> <b>Average - The factory was tidy, and the testing equipment ran normally.</b><br><input type="checkbox"/> Poor - The factory was messed, the basic testing equipment was not available / not workable.                          |

**Sample Collection Record**

|     |                                  |
|-----|----------------------------------|
| 17. | No sample was collected on site. |
|-----|----------------------------------|

**Photos:**

|  |  |
|--|--|
|       |      |
| <p>↑ 1 - Remark 2, No barcode was found on carton box, but it was request by client.</p> | <p>↑ 2 - Remark 2, No barcode was found on carton box, but it was request by client.</p> |

|   |                                     |                        |  |
|---|-------------------------------------|------------------------|--|
|  | During Production Inspection Report |                        | Conclusion  |
|   | Client (abbr.):                     | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                      | Q51582EY               |  |
|   | Report Date:                        | 9 May 2020             | Page 4 / 49  |




↑ 3 - Remark 2, No barcode was found on carton box, but it was request by client.





↑ 4 - Remark 2, No barcode was found on carton box, but it was request by client.




↑ 5 - Remark 3, Bulgy mark was found on the gift box in all selected samples.



↑ 6 - Remark 3, Bulgy mark was found on the gift box in all selected samples.

|   |                                     |                        |  |
|---|-------------------------------------|------------------------|--|
|  | During Production Inspection Report |                        | Conclusion  |
|   | Client (abbr.):                     | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                      | Q51582EY               |  |
|   | Report Date:                        | 9 May 2020             | Page 5 / 49  |



↑ 7 - Remark 3, Bulgy mark was found on the gift box in all selected samples.





↑ 8 - Remark 4, Chinese words was found on the gift box and carton box in all selected samples.




↑ 9 - Remark 4, Chinese words was found on the gift box and carton box in all selected samples.



↑ 10 - Remark 4, Bulgy mark was found on the gift box in all selected samples.



|   |                                     |                        |  |
|---|-------------------------------------|------------------------|--|
|  | During Production Inspection Report |                        | Conclusion  |
|   | Client (abbr.):                     | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                      | Q51582EY               |  |
|   | Report Date:                        | 9 May 2020             | Page 6 / 49  |



↑ 11 - Remark 4, Chinese words was found on the gift box and carton box in all selected samples.



↑ 12 - Remark 4, Chinese words was found on the gift box and carton box in all selected samples.

|   |                                     |                        |  |
|---|-------------------------------------|------------------------|--|
|  | During Production Inspection Report |                        | Conclusion  |
|   | Client (abbr.):                     | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                      | Q51582EY               |  |
|   | Report Date:                        | 9 May 2020             | Page 7 / 49  |

#### IV. CONCLUSION

# PASSED

5.1.2e

Approved by:

The meaning of conclusion:



- PASSED** - The inspected samples conform to the client's requirements.  
The shipment may be released after getting the client's approval.
- PASSED (Conditional)** - The Passed result will be valid only after the client notes and accepts the issues in the remarks.  
The shipment may be released after getting the client's approval.
- PENDING** - The client should evaluate the issues in the remarks, and then decide to approve or reject the shipment.
- FAILED** - There will be risks if the shipment is released in this condition. A re-inspection is suggested after the failed problems are solved. However the client has the final decision to approve or reject the shipment after considering different factors.


Will you approve and release this shipment?



1. After logging in, you may click the above button to inform the supplier of your decision simply.
2. You may still edit the message sent to your supplier online.
3. You may also get the statistics of all your inspections on [Dashboard](#).



Inspector & Report Reviewer:

|   |  |                        |  |
|---|--|------------------------|--|
|  | <b>During Production Inspection Report</b> |                        | Conclusion  |
|   | Client (abbr.):                            | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                             | Q51582EY               |  |
|   | Report Date:                               | 9 May 2020             | Page 8 / 49  |

|   |   |
|---|---|
|  |     |
| 5.1.2e  |   |
| Inspector(s) <span style="background-color: #cccccc; padding: 2px;">5.1.2e</span> | Report Reviewer: <span style="background-color: #cccccc; padding: 2px;">5.1.2e</span> |
| <b>Should you have any question, please contact us:</b>                           |   |
| 5.1.2e  | 5.1.2e 5.1.2e   |

— This is the end of Inspection Summary. —

Please find our inspection details from next page of each Section, Checklist.

|   |  |                        |  |
|---|--|------------------------|--|
|  | <b>During Production Inspection Report</b> |                        | Conclusion  |
|   | Client (abbr.):                            | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                             | Q51582EY               |  |
|   | Report Date:                               | 9 May 2020             | Page 9 / 49  |



### A. QUANTITY

| Quantity                           |   | Unit: pcs     |            |              |                    |          |            |             |          |        |
|------------------------------------|---|---------------|------------|--------------|--------------------|----------|------------|-------------|----------|--------|
| P.O.                               | Item  | Order Qty     | Qty/Carton | Order Carton | Quantity Breakdown |          |            | Sample Size |          |        |
|                                    |   |               |            |              | Packed             | Unpacked | Unfinished | Packed      | Unpacked |        |
| FZXQ200<br>2                       | HT9510  |               |            |              | 5.1.1c             |          |            |             |          |        |
| Total:                             |   |               |            |              |                    |          |            |             |          |        |
| <b>Selected Cartons</b>            |   |               |            |              |                    |          |            |             |          |        |
| Carton Quantity Available:         |   | 5.1.1c        |            |              |                    |          |            |             |          |        |
| Completion rate:                   |   | 0.2%          |            |              |                    |          |            |             |          |        |
| Selected Cartons:                  |   | 5.1.1c        |            |              |                    |          |            |             |          |        |
| No carton number in shipping mark. |   |               |            |              |                    |          |            |             |          |        |
| Item                               | Carton Number   |               |            |              |                    |          |            |             |          | Total  |
| HT9510 (FZXQ2002)                  | /   | /             | /          | /            | /                  | /        | /          | /           | /        | 5.1.1c |
| <b>Result:</b>                     |   | <b>Passed</b> |            |              |                    |          |            |             |          |        |
| Remark:                            | - The factory only packed 1 carton box(1000pcs units) for inspector to take photo and check quality, the other finished product were still under packing. |               |            |              |                    |          |            |             |          |        |

### B. WORKMANSHIP

[? What is AQL](#)

| Inspection Level   | Sample Size                               | AQL           |             | Acceptance | Actual Found | Result |       |
|--|---|---------------|-------------|------------|--------------|--------|-------|
| Fixed Sample Size  | 5.1.1c                                    | Critical:     | Not Allowed | 0          | 0            | Passed |       |
|  |   | Major:        | 2.5         | 21         | 3            | Passed |       |
|  |   | Minor:        | 4.0         | 21         | 6            | Passed |       |
| <b>Workmanship Defectives / Function Inspection Findings</b>                             |   |               |             |            |              |        |       |
| Description  |   |               |             |            | Critical     | Major  | Minor |
| For Item: HT9510 (FZXQ2002)  |   | Sample size:  |             | 5.1.1c     |              |        |       |
| 1.   | Poor printing                             | 5.1.1c        |             |            |              |        |       |
| 2.   | Poor cutting                              |               |             |            |              |        |       |
| 3.   | Dirty mark on surface                     |               |             |            |              |        |       |
| <b>Sample Size:</b>  |   |               |             |            |              |        |       |
| <b>Acceptance:</b>   |   |               |             |            |              |        |       |
| <b>Actual Found:</b>   |   |               |             |            |              |        |       |
| <b>Note:</b> Only one most serious defect is taken into account per each defective unit. |   |               |             |            |              |        |       |
| <b>Result:</b>   |   | <b>Passed</b> |             |            |              |        |       |
| Remark:  |   |               |             |            |              |        |       |
| 1  | Defect photos of Items: HT9510 (FZXQ2002) |               |             |            |              |        |       |

|   |                                     |                        |  |
|---|-------------------------------------|------------------------|--|
|  | During Production Inspection Report |                        | Conclusion  |
|   | Client (abbr.):                     | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                      | Q51582EY               |  |
|   | Report Date:                        | 9 May 2020             | Page 10 / 49   |



↑ 13 - Poor printing - major



↑ 14 - Poor printing - major(Detail)



↑ 15 - Poor printing - major





↑ 16 - Poor printing - major(Detail)



↑ 17 - Poor cutting - major



↑ 18 - Poor cutting - major(Detail)

|   |  |                        |  |
|---|--|------------------------|--|
|  | <b>During Production Inspection Report</b> |                        | Conclusion  |
|   | Client (abbr.):                            | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                             | Q51582EY               |  |
|   | Report Date:                               | 9 May 2020             | Page 11 / 49   |



↑ 19 - Poor cutting - minor



↑ 20 - Poor cutting - minor(Detail)



↑ 21 - Dirty mark on surface - minor





↑ 22 - Dirty mark on surface - minor(Detail)



↑ 23 - Dirty mark on surface - minor



↑ 24 - Dirty mark on surface - minor(Detail)

|   |  |                        |  |
|---|--|------------------------|--|
|  | <b>During Production Inspection Report</b> |                        | Conclusion  |
|   | Client (abbr.):                            | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                             | Q51582EY               |  |
|   | Report Date:                               | 9 May 2020             | Page 12 / 49   |



↑ 25 - Dirty mark on surface - minor



↑ 26 - Dirty mark on surface - minor(Detail)



↑ 27 - Dirty mark on surface - minor





↑ 28 - Dirty mark on surface - minor(Detail)



↑ 29 - Dirty mark on surface - minor





↑ 30 - Dirty mark on surface - minor(Detail)



|   |  |                        |  |
|---|--|------------------------|--|
|  | <b>During Production Inspection Report</b> |                        | Conclusion  |
|   | <b>Client (abbr.):</b>                     | MJH International B.V. | <b>PASSED</b>  |
|   | <b>Report Number:</b>                      | Q51582EY               |  |
|   | <b>Report Date:</b>                        | 9 May 2020             | Page 13 / 49   |

### C. ON-SITE TESTS



|    | Description   | Sample Size | Passed | Failed | Result / Reading                                  |
|----|---|-------------|--------|--------|---|
| 1. | <b>Color Shade Check</b><br>- Check the unit from piece to piece and within same unit.<br>- Pending overall result if found lot shade at gray scale 4 or below gray scale 4   |             |        |        | Passed  |
| 2. | <b>Fabric Weight Check</b><br>- 1. Used equipment: Electronic balance (0.1g), cutting die.<br>- 2. Use cut machine to cut a 0.01square meter (circle or square) each layer material from the product<br>- 3. Weight the specimen and count average weight per swatch.<br>- 4. The weight (g) per square meter =100 x g (average weight).<br>--Within client requirements;<br>--If no client tolerance, accept if the difference is within +/- 5%;<br>--If out of 5%, remark and pending report;<br>--If no client spec given, record actual finding only. |             |        |        | Actual Finding<br>Surface:60g/m2<br>Inside:30g/m2 |
| 3. | <b>Barcode Readability Check</b><br>- Scan by barcode scanner.<br>- Compare the read number on reader against printed number besides and applicant's requirement.   |             | 5.1.1c |        | Passed  |
| 4. | <b>Seaming Strength Test</b><br>- Pull the seaming by hand with normal force<br>- No breakage when pulling  |             |        |        | Passed  |
| 5. | <b>Accessory Fastness Test</b><br>- Pull the accessory by hand with normal force<br>- No breakage or detachment   |             |        |        | Passed  |
| 6. | <b>Smell Check</b><br>- Smell by nose within 3cm<br>- Should be as the client requirement, no odor.   |             |        |        | Passed  |
| 7. | <b>Rub Check</b><br>- Use cotton dripped with water, rub the marking on silk-screen printing by hand for 15 seconds.<br>- Printing is clear after the rub   |             |        |        | Passed  |

|  | During Production Inspection Report |                        | Conclusion  |
|---|-------------------------------------|------------------------|--|
|   | Client (abbr.):                     | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                      | Q51582EY               |  |
|   | Report Date:                        | 9 May 2020             | Page 14 / 49   |

|     |  |        |        |
|-----|--|--------|--------|
| 8.  | <b>Carton Drop Test</b><br>- One corner, three edges, six sides, at height of<br>- 30inch (9.5kg)<br>- 24inch (9.5kg~18.6kg)<br>- 18inch (18.6kg~27.7kg)<br>- 12inch (27.7kg~45.3kg)<br>- 8inch (45.3kg~68kg) on the cement floor.<br>- No unit drop out, No any damage on unit.   | 5.1.1c | Passed |
| 9.  | <b>Fitting Check</b><br>- Wear the products, verify comfortable level of the products and adhered force of accessories.<br>- Good fitting and no failure is found  |        | Passed |
| 10. | <b>Internal Check</b><br>- Cut the product apart and separate the layers of material ;<br>- Check the cleanliness ;<br>- Check the strength by pulling the material with appropriate force<br>- The product should include at least 3 layers;<br>- There must be a layer of melt-blown non-woven fabric by polarity surface check<br>- All materials are cleaned and strong enough |        | Passed |
| 11. | <b>Polarity Check</b><br>--Prepare some paper scraps smaller than 1x1cm<br>--Fully contact the melt-blown material with paper scraps;<br>--Gently lift the melt-blown material and observe the adsorption effect of paper scraps<br>--The paper scraps should be with obvious polar adsorption effect on melt-blown materials  |        | Passed |

|  | During Production Inspection Report |                        | Conclusion  |
|---|-------------------------------------|------------------------|--|
|   | Client (abbr.):                     | MJH International B.V. | PASSED   |
|   | Report Number:                      | Q51582EY               |  |
|   | Report Date:                        | 9 May 2020             | Page 15 / 49   |

|     |  |        |        |
|-----|--|--------|--------|
| 12. | <b>Combustion Test</b><br>- Test individually with each layer of material (Not applicable for filter sponge)<br>- After the flame touching the material for about 3s, and leaves the product without flame<br>- Observe the flammability of the material<br>- After leaving the flame, it is passed that the material is qualified to extinguish within 3 seconds<br>- If the material is qualified to extinguish, but the extinguish time is beyond 3s, please remark the time, and the result should be passed conditional<br>- If the material could not be extinguished, the result would be failed. | 5.1.1c | Passed |
| 13. | <b>Nose Clip Check</b><br>- The mask should be fitted with a nose clip which is adjustable<br>- No failure   |        | Passed |
| 14. | <b>Mask Rope Check</b><br>- The mask rope is easy to adjust and should be with enough strength to fix the mask. Pull the mask rope with 10N force without breaking<br>- No failure   |        | Passed |
| 15. | <b>Surface Wet Resistance Test</b><br>--Tighten the melt-blown process material on a plane with a 45 degree angle slope<br>--Using 250 ml water, dripping evenly on the material surface within 25s<br>--Observe the wet area on the material after the test<br>--Wetting at the sprinkling points on the sample surface, or no any wetting  |        | Passed |
| 16. | <b>Information Of Manufacture check</b><br>- Check the production date and name of manufacture whether is found on product or package<br>- The information should be clear and corrective, otherwise the result should be failed   |        | Passed |
| 17. | <b>Test Report Review</b><br>- Factory should provide test report for review<br>- No failure   |        | Passed |

|   |  |                        |  |
|---|--|------------------------|--|
|  | <b>During Production Inspection Report</b> |                        | Conclusion  |
|   | Client (abbr.):                            | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                             | Q51582EY               |  |
|   | Report Date:                               | 9 May 2020             | Page 16 / 49   |


|                       |   |        |        |
|-----------------------|---|--------|--------|
| 18.                   | <b>Water repellent test</b><br>- Sprinkle water on the surface (body and seam) of the product, Wait five minutes and check if the water permeate the reverse.<br>- if water permeate the reverse, the test is failed. | 5.1.1c | Passed |
| <b>Result: Passed</b> |   |        |        |
| Remark:               |   |        |        |



\* Refer to V-Trust Work Instruction: VTR-WI-CZ-1002.

**D. PRODUCT SPECIFICATION**

|  | Client Spec.      | Ref. Sample | 1# Sample   | 2# Sample   | 3# Sample   |
|--|-------------------|-------------|-------------|-------------|-------------|
| Item No.:  | HT9510 (FZXQ2002) |             |             |             |             |
| LxWxH (cm)   | /                 | /           | 14x12.5x9.3 | 14x12.5x9.3 | 14x12.5x9.3 |
| Net Weight (g)   | /                 | /           | 4.8         | 5.4         | 5.2         |
| Gift box size(cm)  | /                 | /           | 14.5x13x16  | 14.5x13x16  | 14.5x13x16  |
| Gift box weight(kg)  | /                 | /           | 0.31        | 0.30        | 0.30        |
| <b>Result: N/A, No client spec., actual finding &amp; record</b> |                   |             |             |             |             |
| Remark:  |                   |             |             |             |             |

**E. PACKING**

| <b>Package Details</b>   |                 |           |                             |                        |                    |        |                 |   |
|--|-----------------|-----------|-----------------------------|------------------------|--------------------|--------|-----------------|---|
|  |                 |           |                             |                        |                    |        |                 |  |
| Item No.   | Qty/Carton      |           | Carton Size (L x W x H, cm) |                        | Gross Weight (kgs) |        | Qty / Inner box |   |
|  | Marking / Spec. | Actual    | Marking / Spec.             | Actual                 | Marking / Spec.    | Actual | Marking / Spec. | Actual  |
| HT9510 (FZXQ2002)  | 5.1.1c          |           | 67x31x34                    | 67x32x34               | 6.6                | 6.8    | /               | /   |
| <b>Export Carton Details</b>   |                 |           |                             |                        |                    |        |                 |   |
| Fastening Metal Staples  |                 | N/A       |                             | Nylon Band             |                    | N/A    |                 |   |
| Material   |                 | Cardboard |                             | Corrugated Paper Piles |                    | 5-ply  |                 |   |
| <b>Packing Method</b>  |                 |           |                             |                        |                    |        |                 |   |
| 5.1.1c units were packed into a gift box with poly bag and information sheet, then 5.1.1c gift boxes (5.1.1c units) were packed into a carton box. |                 |           |                             |                        |                    |        |                 |   |
| <b>Assortment Method</b>   |                 |           |                             |                        |                    |        |                 |   |
| No assortment  |                 |           |                             |                        |                    |        |                 |   |
| <b>Result: Passed</b>  |                 |           |                             |                        |                    |        |                 |   |

|   |  |                        |  |
|---|--|------------------------|--|
|  | <b>During Production Inspection Report</b> |                        | Conclusion  |
|   | Client (abbr.):                            | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                             | Q51582EY               |  |
|   | Report Date:                               | 9 May 2020             | Page 17 / 49   |

|         |   |
|---------|---|
| Remark: | - Bulgy mark was found on the gift box in all selected samples. |
|---------|---|

#### F. MARKING & LABELING

| Barcode/Labeling/Printing                  |  |                |
|--|--|----------------|
| Name                                       | Location   | Result         |
| Item number                                | Unit, Carton, Gift Box   | Passed         |
| Barcode                                    | Gift Box   | Pending        |
| Instruction manual and documentation check |  |                |
| - No instruction manual included.          | Provided by  | N/A            |
| - Test report                              | Factory  | Passed         |
| Shipping Marks                             |  |                |
| Shipping Marks (on 2 sides)                |  | Actual Finding |
| Side Marks (on 2 sides)                    |  | Actual Finding |
| Inner Box Marks (on / side)                |  | N/A            |
| <b>Result:</b>                             | <b>Passed</b>  |                |
| Remark:                                    | - No barcode was found on carton box, but it was request by client.<br>- Chinese words was found on the gift box and carton box in all selected samples. |                |

#### G. PRODUCTION LINE CHECKING



| Semi-finished products were checked on the production line, the finding were as below: |                              |               |                     |        |
|--|------------------------------|---------------|---------------------|--------|
| Process/Accessory  | Sampling Size (pieces/pairs) | Findings      |                     |        |
|  |                              | Style & Color | Problems/Defectives | Number |
| Cleaning   | 5.1.1c                       | /             | No defect was found | 0      |
| Total:   |                              | -             | -                   | 0      |
| <b>Result:</b>   | <b>Passed</b>                |               |                     |        |
| Remark:  |                              |               |                     |        |

#### H. CLIENT SPECIAL REQUIREMENTS

|                | Client Requirements | Result |
|----------------|---------------------|--------|
| 1.             | Nil                 | N/A    |
| <b>Result:</b> | <b>N/A</b>          |        |
| Remark:        |                     |        |

#### I. PRODUCTION SCHEDULE

|  |
|--|
| Production Lines available for Production of this order: |
| How many lines are available? <u>36</u>                  |
| How many workers per line? <u>4</u>                      |

|   |                                     |                        |  |
|---|-------------------------------------|------------------------|--|
|  | During Production Inspection Report |                        | Conclusion  |
|   | Client (abbr.):                     | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                      | Q51582EY               |  |
|   | Report Date:                        | 9 May 2020             | Page 18 / 49   |



What is the output rate per line per date? 800000

For the manufacturer, the maximum output per day is 1000000 and the minimum output per day is 600000.  
 Estimate the date 12 May 2020 when the PSI inspection can be done.  
 Estimate the date 11 May 2020 when the goods can be finished and completely packed.

**J. PHOTOS**

Photos of Item: HT9510 (FZXQ2002)



|  | During Production Inspection Report |                        | Conclusion  |
|---|-------------------------------------|------------------------|--|
|   | Client (abbr.):                     | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                      | Q51582EY               |  |
|   | Report Date:                        | 9 May 2020             | Page 19 / 49   |



↑ 35 - Carton box marking



↑ 36 - Side mark



↑ 37 - Shipping mark





↑ 38 - Side mark



↑ 39 - V-trust QC stamp and label



↑ 40 - Carton box marking

|   |  |                        |   |
|---|--|------------------------|---|
|  | <b>During Production Inspection Report</b> |                        | <b>Conclusion</b>  |
|   | Client (abbr.):                            | MJH International B.V. | <b>PASSED</b>   |
|   | Report Number:                             | Q51582EY               |   |
|   | Report Date:                               | 9 May 2020             | Page 20 / 49  |



↑ 41 - Open carton



↑ 42 - Carton packing(2 layers)



↑ 43 - Gift box





↑ 44 - Top mark



↑ 45 - Barcode



↑ 46 - Front of gift box

|   |                                     |                        |  |
|---|-------------------------------------|------------------------|--|
|  | During Production Inspection Report |                        | Conclusion  |
|   | Client (abbr.):                     | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                      | Q51582EY               |  |
|   | Report Date:                        | 9 May 2020             | Page 21 / 49   |



↑ 47 - Gift box marking




↑ 48 - Gift box marking




↑ 49 - Gift box marking




↑ 50 - Gift box marking




↑ 51 - Side mark




↑ 52 - Gift box marking


|   |                                     |                        |               |
|---|-------------------------------------|------------------------|---------------|
|  | During Production Inspection Report |                        | Conclusion ②  |
|   | Client (abbr.):                     | MJH International B.V. | <b>PASSED</b> |
|   | Report Number:                      | Q51582EY               |               |
|   | Report Date:                        | 9 May 2020             | Page 22 / 49  |




↑ 53 - Gift box marking




↑ 54 - Gift box marking



↑ 55 - Gift box marking





↑ 56 - Gift box marking



↑ 57 - Gift box marking



↑ 58 - Back

|   |                                     |                        |  |
|---|-------------------------------------|------------------------|--|
|  | During Production Inspection Report |                        | Conclusion  |
|   | Client (abbr.):                     | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                      | Q51582EY               |  |
|   | Report Date:                        | 9 May 2020             | Page 23 / 49   |



↑ 59 - Gift box marking




↑ 60 - Gift box marking




↑ 61 - Gift box marking





↑ 62 - Gift box marking




↑ 63 - Side mark




↑ 64 - Gift box marking


|   |                                     |                        |  |
|---|-------------------------------------|------------------------|--|
|  | During Production Inspection Report |                        | Conclusion  |
|   | Client (abbr.):                     | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                      | Q51582EY               |  |
|   | Report Date:                        | 9 May 2020             | Page 24 / 49   |



↑ 65 - Gift box marking



↑ 66 - Gift box marking



↑ 67 - Gift box marking





↑ 68 - Bottom



↑ 69 - Open gift box



↑ 70 - Inside packing


|  | During Production Inspection Report |                        | Conclusion  |
|---|-------------------------------------|------------------------|--|
|   | Client (abbr.):                     | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                      | Q51582EY               |  |
|   | Report Date:                        | 9 May 2020             | Page 25 / 49   |



↑ 71 - Inside packing



↑ 72 - Qualified certificate



↑ 73 - Back





↑ 74 - Inside packing(50pcs in a poly bag)



↑ 75 - Mask



↑ 76 - Marking

|   |  |                        |  |
|---|--|------------------------|--|
|  | <b>During Production Inspection Report</b> |                        | Conclusion  |
|   | Client (abbr.):                            | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                             | Q51582EY               |  |
|   | Report Date:                               | 9 May 2020             | Page 26 / 49   |



↑ 77 - Unit view



↑ 78 - Side of mask



↑ 79 - Unit view





↑ 80 - Unit view



↑ 81 - Unit view





↑ 82 - Inside

|   |  |                        |  |
|---|--|------------------------|--|
|  | <b>During Production Inspection Report</b> |                        | Conclusion  |
|   | Client (abbr.):                            | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                             | Q51582EY               |  |
|   | Report Date:                               | 9 May 2020             | Page 27 / 49   |

|  |            |
|--|------------|
|  <p>↑ 83 - Inside</p> | <p>Nil</p> |
|--|------------|

**Photos of On-Site Tests**

|   |  |
|---|--|
|  <p>↑ 84 - Filtration efficiency and wind resistance test</p> |  <p>↑ 85 - Filtration efficiency and wind resistance test</p> |
|---|--|

|   |                                     |                        |  |
|---|-------------------------------------|------------------------|--|
|  | During Production Inspection Report |                        | Conclusion  |
|   | Client (abbr.):                     | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                      | Q51582EY               |  |
|   | Report Date:                        | 9 May 2020             | Page 28 / 49   |




↑ 86 - Filtration efficiency and wind resistance test



↑ 87 - Filtration efficiency and wind resistance test



↑ 88 - Filtration efficiency and wind resistance test





↑ 89 - Filtration efficiency and wind resistance test



↑ 90 - Internal Check



↑ 91 - Internal Check

|   |  |                        |  |
|---|--|------------------------|--|
|  | <b>During Production Inspection Report</b> |                        | Conclusion  |
|   | Client (abbr.):                            | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                             | Q51582EY               |  |
|   | Report Date:                               | 9 May 2020             | Page 29 / 49   |



↑ 92 - Internal Check



↑ 93 - Polarity Check



↑ 94 - Combustion Test





↑ 95 - Combustion Test



↑ 96 - Combustion Test



↑ 97 - Combustion Test


|   |  |                        |   |
|---|--|------------------------|---|
|  | <b>During Production Inspection Report</b> |                        | <b>Conclusion</b>  |
|   | <b>Client (abbr.):</b>                     | MJH International B.V. | <b>PASSED</b>   |
|   | <b>Report Number:</b>                      | Q51582EY               |   |
|   | <b>Report Date:</b>                        | 9 May 2020             | Page 30 / 49  |



↑ 98 - Seaming Strength Test



↑ 99 - Seaming Strength Test



↑ 100 - Seaming Strength Test





↑ 101 - Seaming Strength Test



↑ 102 - Seaming Strength Test



↑ 103 - Water repellent test

|   |  |                        |   |
|---|--|------------------------|---|
|  | <b>During Production Inspection Report</b> |                        | <b>Conclusion</b>  |
|   | Client (abbr.):                            | MJH International B.V. | <b>PASSED</b>   |
|   | Report Number:                             | Q51582EY               |   |
|   | Report Date:                               | 9 May 2020             | Page 31 / 49  |



↑ 104 - Water repellent test



↑ 105 - Carton Drop Test



↑ 106 - Carton Drop Test





↑ 107 - Rub Check



↑ 108 - Tape check



↑ 109 - Tape check


|   |                                     |                        |  |
|---|-------------------------------------|------------------------|--|
|  | During Production Inspection Report |                        | Conclusion  |
|   | Client (abbr.):                     | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                      | Q51582EY               |  |
|   | Report Date:                        | 9 May 2020             | Page 32 / 49   |



↑ 110 - Tape check



↑ 111 - Tape check



5.1.2e

↑ 112 - Fitting Check

↑ 113 - Fitting Check






5.1.2e



↑ 114 - Fitting Check

↑ 115 - Fabric Weight Check


|   |  |                        |  |
|---|--|------------------------|--|
|  | <b>During Production Inspection Report</b> |                        | Conclusion  |
|   | Client (abbr.):                            | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                             | Q51582EY               |  |
|   | Report Date:                               | 9 May 2020             | Page 33 / 49   |



↑ 116 - Fabric Weight Check



↑ 117 - Barcode Readability Check





↑ 118 - Barcode Readability Check



↑ 119 - Combustion Test

**Photos of Other Information**

|   |  |                        |  |
|---|--|------------------------|--|
|  | <b>During Production Inspection Report</b> |                        | Conclusion  |
|   | Client (abbr.):                            | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                             | Q51582EY               |  |
|   | Report Date:                               | 9 May 2020             | Page 34 / 49   |



↑ 120 - Inspection site



↑ 121 - Gross weight check for carton box



↑ 122 - Gross weight check for gift box





↑ 123 - Net weight check



↑ 124 - Net weight check



↑ 125 - Net weight check

|   |  |                        |  |
|---|--|------------------------|--|
|  | <b>During Production Inspection Report</b> |                        | Conclusion  |
|   | Client (abbr.):                            | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                             | Q51582EY               |  |
|   | Report Date:                               | 9 May 2020             | Page 35 / 49   |



↑ 126 - Size check




↑ 127 - Size check



↑ 128 - Size check





↑ 129 - Size check



↑ 130 - Size check



↑ 131 - Size check

|   |                                     |                        |  |
|---|-------------------------------------|------------------------|--|
|  | During Production Inspection Report |                        | Conclusion  |
|   | Client (abbr.):                     | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                      | Q51582EY               |  |
|   | Report Date:                        | 9 May 2020             | Page 36 / 49   |



↑ 132 - Size check



↑ 133 - Size check



↑ 134 - Size check





↑ 135 - Size check



↑ 136 - Size check



↑ 137 - Size check

|   |  |                        |  |
|---|--|------------------------|--|
|  | <b>During Production Inspection Report</b> |                        | Conclusion  |
|   | Client (abbr.):                            | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                             | Q51582EY               |  |
|   | Report Date:                               | 9 May 2020             | Page 37 / 49   |



↑ 138 - Size check



↑ 139 - Size check



↑ 140 - Size check





↑ 141 - Size check



↑ 142 - Size check




↑ 143 - Size check


|   |  |                        |   |
|---|--|------------------------|---|
|  | <b>During Production Inspection Report</b> |                        | <b>Conclusion</b>  |
|   | <b>Client (abbr.):</b>                     | MJH International B.V. | <b>PASSED</b>   |
|   | <b>Report Number:</b>                      | Q51582EY               |   |
|   | <b>Report Date:</b>                        | 9 May 2020             | Page 38 / 49  |



↑ 144 - Test report from factory




↑ 145 - Test report from factory



↑ 146 - Test report from factory





↑ 147 - Test report from factory



↑ 148 - Test report from factory



↑ 149 - Sample

|   |                                     |                        |  |
|---|-------------------------------------|------------------------|--|
|  | During Production Inspection Report |                        | Conclusion  |
|   | Client (abbr.):                     | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                      | Q51582EY               |  |
|   | Report Date:                        | 9 May 2020             | Page 39 / 49   |



↑ 150 - Sample





↑ 151 - Test report from factory


**Big Size Photos**

**V-Trust Inspection Service Draft Data Records**

| 单号 Inspection No.: |             |             | 验货日期 Inspection day: |                        |                    |                  |
|--------------------|-------------|-------------|----------------------|------------------------|--------------------|------------------|
| 序号 No.             | 款号 Item No. | 数量 Quantity | 抽箱数 Selected carton  | 抽样数 Inspected quantity | 外箱重量 Carton weight | 外箱尺寸 Carton size |
| A                  | 外箱尺寸:       |             | X 32 X 34 cm         |                        | 毛重: 6.8 kg         |                  |
| B                  | 标准:         | 5.1.1c      | X 31 X 34 cm         |                        | 标准: 6.6 kg         |                  |
| C                  | 产品尺寸:       |             | 12 X 9.3 cm          |                        |                    |                  |
| D                  | 净重:         |             | 4.8 g                |                        |                    |                  |
| E                  | 标准:         | 5.1.1c      | X 13 X 16 cm         |                        |                    |                  |
|                    | 净重:         |             | 0.31 kg              |                        |                    |                  |

↑ 152 - Draft onsite data record (Hand-written by inspector, for internal control purpose)

|   |  |                        |  |
|---|--|------------------------|--|
|  | <b>During Production Inspection Report</b> |                        | Conclusion  |
|   | Client (abbr.):                            | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                             | Q51582EY               |  |
|   | Report Date:                               | 9 May 2020             | Page 40 / 49   |



**A. QUANTITY**

| P.O.         | Item   | Order Qty | Qty. Confirmed | Order Confirmed | Quantity Breakdown             | Sample Size       |
|--------------|--------|-----------|----------------|-----------------|--------------------------------|-------------------|
|              |        |           |                |                 | Packed   Unpacked   Unfinished | Packed   Unpacked |
| FZK2002      | HT8510 |           |                |                 |                                | 5.1.1c            |
| <b>Total</b> |        |           |                |                 |                                | 5.1.1c            |

**B. WORKMANSHIP**

| Inspection Standard | AQL                    | Accepted | Total Found | Result |
|---------------------|------------------------|----------|-------------|--------|
| Sampling Plan       | Critical / Not Allowed | 0        | 0           | Passed |
| Inspection Level    | Fixed Sample Size      | Major    | 5.1.1c      | Passed |
| Sample Size         | 500 pcs                | Minor    |             | Passed |

**Workmanship Defectives / Function Inspection Findings**

| Description                                    | Critical | Major | Minor  |
|--|----------|-------|--------|
| For Item: HT8510 (FZK2002) Sample Size: 5.1.1c |          |       |        |
| 1. Floor printing                              |          |       | 5.1.1c |
| 2. Floor soiling                               |          |       |        |
| 3. Dirty mark on surface                       |          |       |        |
| <b>Total Found:</b>                            |          |       |        |
| Accepted:                                      |          |       |        |
| Sample Size:                                   |          |       |        |


**1. PRODUCTION SCHEDULE**

Production Lines available for Production of this order:

How many lines are available? 30

How many workers per line? 4

What is the output rate per line per day? 500000






**IV. CONCLUSION**

**PENDING**

Approved by: 5.1.2e

**PASSED** - Conform to Client's Requirement  
**PASSED (Conditional)** - The Passed results will be valid only after the client notes and accepts the issues in the remarks.  
**PENDING** - Subject to Client's Evaluation.  
**FAILED** - Not Conform to Client's Requirement.

(V-Trust is accredited by IFLA, AQSIQ and CNAS/702), which are TOP 3 most important accreditations for Inspection Industry.)

Inspector & Report Reviewer:

Inspector(s): 5.1.2e      Report Reviewer:


**Note:**

- This report reflects our findings at the time and the place of inspection based on random samples selected.
- This inspection was limited not to the best of our knowledge and abilities, and our responsibility is limited to the oversight of reasonable ones.
- This report does not release the seller from their contractual obligations nor does it preclude buyer's right for compensation for any apparent and/or hidden defects not detected during our inspection or occurring thereafter.
- This report does not evidence payment.
- Our services are subject to the General Conditions of Service of V-Trust, which is accessible at our website and can be sent to you upon written request.
- This report's inspection results only relate to the samples as (randomly) picked by our inspector.
- This report is complete and its content may not be reproduced.



\*\*\*\*\*  
Please find our inspection details from next page.


↑ 153 - Draft report with signature of factory's representative

|  |  |                        |                   |
|--|--|------------------------|-------------------|
|  | <b>During Production Inspection Report</b> |                        | <b>Conclusion</b> |
|  | <b>Client (abbr.):</b>                     | MJH International B.V. | <b>PASSED</b>     |
|  | <b>Report Number:</b>                      | Q51582EY               |                   |
|  | <b>Report Date:</b>                        | 9 May 2020             | Page 41 / 49      |



† 154 - Draft report with signature of factory's representative

|   |                                     |                        |  |
|---|-------------------------------------|------------------------|--|
|  | During Production Inspection Report |                        | Conclusion  |
|   | Client (abbr.):                     | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                      | Q51582EY               |  |
|   | Report Date:                        | 9 May 2020             | Page 42 / 49   |

|   |   |                                |
|---|---|--------------------------------|
|  | <b>V-Trust Inspection Service Group</b><br>威绰商品检测技术服务集团 | <b>Code of Conduct</b><br>行为守则 |
| Inspection No. 检验单号   | Q51582EY  | Factory 厂商                     |
| Inspection Date 检验日期  | 2020.5.9  | Arrival Time 到厂时间              |
| Inspector 检验工程师   | 5.1.2e  | Document No. 文件号               |
|   |   | VTR-QR-CZ-001                  |

Dear Manufacturer 尊敬的厂商,

V-Trust Inspection Service Co., Limited (hereinafter referred to as V-Trust) is committed to providing customers with independent, impartial and objective assessments and inspection services. We accurately record and report the results of the inspection to the customers. To ensure that the inspection can be conducted duly and effectively, please provide your support and cooperation to the V-Trust staff on site! 广州威绰商品检测技术服务有限公司 (以下简称 V-Trust) 致力于为全球客户提供独立、公正客观的各类评估和商品检验服务; 如实记录并向客户汇报检验中的各项发现。为了确保检验工作能够及时、有效地进行, 请您在现场给予支持和协作!



A strict Code of Practice has been implemented for V-Trust staff. It clearly states that V-Trust staffs are not allowed to accept gifts or any form of benefit during their work. We'll present this Code of Conduct to your company in order to inform you of the expectations and requirements of our staff. V-Trust 对于员工管理有一套严格的操作守则。守则中明确规定, 不允许 V-Trust 职员利用工作之便接受礼物或任何形式利益。我们将本行为守则作为信函, 呈递给贵司, 以表明 V-Trust 对职员和对贵司的工作期望和要求。

Please read, sign and confirm the following Code of Conduct. 请您阅读、签名并确认以下行为守则的条款

- In accordance with workflow requirements, V-Trust employees should brief the factory on this Code of Conduct upon arrival, and require the factory to sign and take photographs of it. 根据工作流程要求, V-Trust 职员到厂后应及时向工厂简要介绍本行为守则, 并要求工厂签名并拍照。
- Under any circumstance, in an event which involves V-Trust staff requesting various forms of payment or benefits, please expressly refuse and contact our management directly to complain about the employee's violation of this Code of Conduct 任何情形下, 如遇到 V-Trust 职员要求各种形式的报酬或好处时, 请明确拒绝, 并按以下方式直接联系我司管理人员投诉该职员的违规行为。
- The factory must not bribe or provide any kind of payment or benefit to the V-Trust staff. If such behavior is confirmed, we will report it to the customer immediately, and will launch an investigation on the validity of the inspection. 贵司在任何情形下, 不串通贿赂 V-Trust 职员, 不提供各种形式的报酬或好处给 V-Trust 职员。如发现存在贿赂, 我司会立即向客户汇报该行为, 并重新检讨该次检验的有效性。
- Upon completion of the inspection, V-Trust staff may select representative bulk samples and/or defective samples. The number of samples taken will be clearly indicated in the draft report. 检验完成后, 根据情况, V-Trust 职员可能要求抽取个别有代表性的出货样品或缺陷样品。抽取样品的个数我们会在草稿报告中明确注明。

If you have any questions, please contact V-Trust headquarters as specified below. Thank you for your cooperation! 如有任何疑问, 请按以下信息联系 V-Trust 广州办公室。谢谢您的合作!

|  |   |
|--|---|
| Factory Representative's signature 厂方代表签名: | If you have any complaints about V-Trust staff, please contact: 如对 V-Trust 职员有任何投诉, 请联系<br>5.1.2e                                 |
| Factory representative's position 厂方代表职务:  | Operation Director: 5.1.2e  |
| Office Tel/Mobile phone 办公室电话/手机:          | 手机 Mobile Phone: 5.1.2e   |
| Date 日期                                    | Tel 电话: + 5.1.2e  |
|  | Fax 传真: + 5.1.2e  |
|  | Email 电邮: 5.1.2e@v-trust.com  |
|  | Add: 5.1.2e West Tower, Poly World Trade Centre, 1000 Xingang Road E, Guangzhou, China 510335 地址: 中国广州市新港东路 1000 号保利世界贸易中心西塔 11 楼 |

|   |  |                        |   |
|---|--|------------------------|---|
|  | <b>During Production Inspection Report</b> |                        | <b>Conclusion</b>  |
|   | <b>Client (abbr.):</b>                     | MJH International B.V. | <b>PASSED</b>   |
|   | <b>Report Number:</b>                      | Q51582EY               |   |
|   | <b>Report Date:</b>                        | 9 May 2020             | Page 43 / 49  |

↑ 155 - Code of Conduct (Factory signed integrity confirmation letter)

## K. VIDEOS

### Videos



↑ 156 - Function check



↑ 157 - Function check

## L. FORM

Nil

### ANNEX – Work Instruction

#### Visual check

- 1m distance above from the illuminant.
- 30–50cm between product and eye or normal use distance. Inspect each side of the product.

#### Critical:

- A nonconformity(defect) which experience and judgment indicates is likely to result in a hazardous and / or injurious situation to the user, or makes the product subject to legal seizure, or as per applicant's requirement.

#### Major:

- Any unit having nonconformity(defect) other than critical is likely to result in failure, or to reduce materially the usability of the unit for its intended purpose, or any unit having an aesthetics nonconformity(defect) which affect the saleability of the products, or as per applicant's requirement.

#### Minor:

- Any unit having nonconformity(defect) that is not likely to reduce the usability of the unit for its intended purpose, or is departure from established standards having little bearing on the effective use of the products, or as per applicant's requirement.

#### Plastic:



- Flow mark, flow line, stress mark, white mark, gate remnant, excessive flash, crack, broken. (Major / Minor)

#### Metal:

- Rusty, oxidation, deformed, bent, crack, broken, burr, poor polishing, weld. (Major / Minor)

#### Fabric:

- Use of monofilament sewing thread that will hurt customer's skin. (Critical)
- Loose stud, button, rivet, snap on baby products(under 36 months)(Critical)

|   |  |                        |  |
|---|--|------------------------|--|
|  | <b>During Production Inspection Report</b> |                        | Conclusion  |
|   | <b>Client (abbr.):</b>                     | MJH International B.V. | <b>PASSED</b>  |
|   | <b>Report Number:</b>                      | Q51582EY               |  |
|   | <b>Report Date:</b>                        | 9 May 2020             | Page 44 / 49   |

- Color shade within same unit(with gray scale 4 or below gray scale 4)(Major)
- Untrimmed edge, Untrimmed thread, Float yarn, Fly yarn. (Major)

**Wood:**

- Splinter. (Critical)
- Broken, crack, rough surface, worm hole, black / dead knot, chip. (Major / Minor)

**Glass / Ceramic:**

- Sharp point and sharp edge(May injure customer). (Critical)
- Knives, blades, needles and similar sharp foreign object contamination. (Critical)


**Marking and Symbol check**

Below symbol should be checked when applicable:


- Age warning symbol, it must be minimum 10mm in diameter. (For Europe market)




- CE marking, it must be minimum 5mm height. (For Europe market)



- WEEE marking, it must be minimum 7mm height in total, refer to image on the left side for details. (For Europe market)



- EAC marking, it must be minimum 5mm height. (For Russia market)





- Class II symbol, it must be minimum 5mm height/width. (For IEC standard, Europe market)



- Class III symbol, this marking is suitable for the luminaire/appliance in which protection against electric shock relies on supply at safety extra-low voltage(SELV) and in which voltage higher than those of SELV are not generated.

This marking is not necessary for appliances that are operated only by batteries(primary batteries or secondary batteries that are recharged outside of the appliance). (For IEC standard, Europe market)





|  | During Production Inspection Report |                        | Conclusion  |
|---|-------------------------------------|------------------------|--|
|   | Client (abbr.):                     | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                      | Q51582EY               |  |
| Report Date:  | 9 May 2020                          | Page 45 / 49           |  |

- Warning, refer to the image below for details. (For Europe market)


**CAUTION:**  
**RISK OF ELECTRIC SHOCK**  
**DRY LOCATION USE ONLY**

- IP XX symbol for water proof indication. IP number according to degree of protection against ingress of water, other than IPX0. If the first numeral for the IP numbering is omitted, the omitted numeral shall be replaced by the letter X, for example IPX5.

|   |  |                        |   |
|---|--|------------------------|---|
|  | <b>During Production Inspection Report</b> |                        | <b>Conclusion</b>  |
|   | <b>Client (abbr.):</b>                     | MJH International B.V. | <b>PASSED</b>   |
|   | <b>Report Number:</b>                      | Q51582EY               |   |
|   | <b>Report Date:</b>                        | 9 May 2020             | Page 46 / 49  |

**Color Shade Check**

- Check the unit from piece to piece and within same unit.
- Pending overall result if found lot shade at gray scale 4 or below gray scale 4

**Fabric Weight Check**

- 1. Used equipment: Electronic balance (0.1g), cutting die.
- 2. Use cut machine to cut a 0.01square meter (circle or square) each layer material from the product
- 3. Weight the specimen and count average weight per swatch.
- 4. The weight (g) per square meter =100 x g (average weight).
- Within client requirements;
- If no client tolerance, accept if the difference is within +/- 5%;
- If out of 5%, remark and pending report;
- If no client spec given, record actual finding only.

**Barcode Readability Check**

- Scan by barcode scanner.
- Compare the read number on reader against printed number besides and applicant's requirement.

**Seaming Strength Test**



- Pull the seaming by hand with normal force
- No breakage when pulling

**Accessory Fastness Test**

- Pull the accessory by hand with normal force
- No breakage or detachment


**Smell Check**

- Smell by nose within 3cm
- Should be as the client requirement, no odor.

|   |  |                        |   |
|---|--|------------------------|---|
|  | <b>During Production Inspection Report</b> |                        | <b>Conclusion</b>  |
|   | <b>Client (abbr.):</b>                     | MJH International B.V. | <b>PASSED</b>   |
|   | <b>Report Number:</b>                      | Q51582EY               |   |
|   | <b>Report Date:</b>                        | 9 May 2020             | Page 47 / 49  |

**Rub Check**


- Use cotton dripped with water, rub the marking on silk-screen printing by hand for 15 seconds.
- Printing is clear after the rub



**Carton Drop Test**

- One corner, three edges, six sides, at height of
- 30inch (9.5kg)
- 24inch (9.5kg~18.6kg)
- 18inch (18.6kg~27.7kg)
- 12inch (27.7kg~45.3kg)
- 8inch (45.3kg~68kg) on the cement floor.
- No unit drop out, No any damage on unit.



Identify faces according to the diagram below.



| Sequence # | Orientation | Specific face, edge or corner                        |
|------------|-------------|--|
| 1          | Corner      | most fragile face-3 corner, if not known, test 2-3-5 |
| 2          | Edge        | shortest edge radiating from the corner tested       |
| 3          | Edge        | next longest edge radiating from the corner tested   |
| 4          | Edge        | longest edge radiating from the corner tested        |
| 5          | Face        | one of the smallest faces                            |
| 6          | Face        | opposite small face                                  |
| 7          | Face        | one of the medium faces                              |
| 8          | Face        | opposite medium face                                 |
| 9          | Face        | one of the largest faces                             |
| 10         | Face        | opposite large face                                  |

**Fitting Check**

- Wear the products, verify comfortable level of the products and adhered force of accessories.
- Good fitting and no failure is found

|   |  |                        |   |
|---|--|------------------------|---|
|  | <b>During Production Inspection Report</b> |                        | <b>Conclusion</b>  |
|   | <b>Client (abbr.):</b>                     | MJH International B.V. | <b>PASSED</b>   |
|   | <b>Report Number:</b>                      | Q51582EY               |   |
|   | <b>Report Date:</b>                        | 9 May 2020             | Page 48 / 49  |

**Internal Check**

- Cut the product apart and separate the layers of material ;
- Check the cleanliness ;
- Check the strength by pulling the material with appropriate force
- The product should include at least 3 layers;
- There must be a layer of melt-blown non-woven fabric by polarity surface check
- All materials are cleaned and strong enough

**Polarity Check**

- Prepare some paper scraps smaller than 1x1cm
- Fully contact the melt-blown material with paper scraps;
- Gently lift the melt-blown material and observe the adsorption effect of paper scraps
- The paper scraps should be with obvious polar adsorption effect on melt-blown materials

**Combustion Test**

- Test individually with each layer of material (Not applicable for filter sponge)
- After the flame touching the material for about 3s, and leaves the product without flame
- Observe the flammability of the material
- After leaving the flame, it is passed that the material is qualified to extinguish within 3 seconds
- If the material is qualified to extinguish, but the extinguish time is beyond 3s, please remark the time, and the result should be passed conditional
- If the material could not be extinguished, the result would be failed.

**Nose Clip Check**

- The mask should be fitted with a nose clip which is adjustable
- No failure

**Mask Rope Check**

- The mask rope is easy to adjust and should be with enough strength to fix the mask. Pull the mask rope with 10N force without breaking
- No failure

**Surface Wet Resistance Test**

- Tighten the melt-blown process material on a plane with a 45 degree angle slope
- Using 250 ml water, dripping evenly on the material surface within 25s
- Observe the wet area on the material after the test
- Wetting at the sprinkling points on the sample surface, or no any wetting

**Information Of Manufacture check**



- Check the production date and name of manufacture whether is found on product or package
- The information should be clear and corrective, otherwise the result should be failed

**Test Report Review**

- Factory should provide test report for review
- No failure

**Water repellent test**

- Sprinkle water on the surface (body and seam) of the product, Wait five minutes and check if the water permeate the reverse.
- if water permeate the reverse, the test is failed.

|  | During Production Inspection Report |                        | Conclusion  |
|---|-------------------------------------|------------------------|--|
|   | Client (abbr.):                     | MJH International B.V. | <b>PASSED</b>  |
|   | Report Number:                      | Q51582EY               |  |
|   | Report Date:                        | 9 May 2020             | Page 49 / 49   |

**Note:**

1. This report reflects our findings at the time and the place of inspection based on random samples selected.
2. This inspection was carried out to the best of our knowledge and abilities, and our responsibility is limited to the exercise of reasonable one.
3. This report does not relieve the sellers from their contractual obligations nor does it prejudice buyer's right for compensation for any apparent and/or hidden defects not detected during our inspection or occurring thereafter.
4. This report does not evidence shipment. This report is complete and its content may not be reproduced.
5. Our services are subject to the General Conditions of Service of V-Trust, which is shown at our website and can be sent to you upon written request. This report's inspection results only relate to the samples as (randomly picked) by our inspector.

\*\*\*\*\*

**Are you satisfied with this report? Please [CLICK HERE](#) to rate your experience with us so we can serve you better.**

*Quality is never an accident.*

*It is always the result of high intentions, sincere effort, intelligent direction and skillful execution. It represents the wise choice of many alternatives!*

Your feedback will help us in our pursuit for excellence.

\*\*\*\*\*



Since 2011



No. 518



No. IB0261



Affiliated Audit Company

V-Trust is accredited by IFIA, AQSIO and GNAS17020, which are TOP 3 most important accreditations for inspection industry.

V-Trust is a SEDEX Affiliated Audit Company and provides SMETA social audits.