

ADM Promotions Hong Kong Limited

Unit A, 4/F, Kaiser Estate, Phase 1,
No. 41 Man Yue Street, Hung Hom Kowloon, Hong Kong
Tel: (852) 27105100 / Fax: (852) 23636915
E-mail: 5.1.2e@hk.admgroup.com


FINAL INSPECTION REPORT



C. Packing method and Verification:

5.1.1c per each poly bag with certificate of approval;	
5.1.1c poly bag per each color box with certificate of approval;	
- 1.1 color box per each master carton with certificate of approval;	
- total 5.1.1c for each carton.	
Master Carton	<input checked="" type="checkbox"/> Made in China / <input type="checkbox"/> Resy Logo / <input type="checkbox"/> Carton Label / <input type="checkbox"/> Metal staples / <input checked="" type="checkbox"/> Barcode label Taped method : <input type="checkbox"/> I / <input checked="" type="checkbox"/> H / <input type="checkbox"/> 王; With plastic Tie: <input type="checkbox"/> Yes / <input checked="" type="checkbox"/> No / Cardboard on: <input type="checkbox"/> Top; <input type="checkbox"/> Bottom
Gift Box	<input checked="" type="checkbox"/> Made in China / <input type="checkbox"/> Recycle Mark / <input type="checkbox"/> Green Dot <input type="checkbox"/> Logo / <input checked="" type="checkbox"/> Barcode / <input checked="" type="checkbox"/> Ref. No.: LK-003-A004 <input type="checkbox"/> Closed by tape; <input type="checkbox"/> Top / <input type="checkbox"/> Bottom; / <input checked="" type="checkbox"/> Others : CE mark
Polybag / Bubble Bag	<input type="checkbox"/> Recycle Mark / <input type="checkbox"/> Green Dot / <input checked="" type="checkbox"/> Barcode / <input checked="" type="checkbox"/> Hole <input type="checkbox"/> Warning Text / <input checked="" type="checkbox"/> Ref. No.: LK-003-A004 <input type="checkbox"/> Closed by tape / <input checked="" type="checkbox"/> Closed by self-sticking / <input checked="" type="checkbox"/> Closed by heat seal / <input type="checkbox"/> Label Lexuslance LK-003, FFP2, CE, EN149: 2001+A1 :2009 Barcode: 6973133450018, "Made in China" Product Lot: LK-003-A004 Production date: 23/04/2020 Validity date: 1 years
Main Unit	Lexuslance LK-003, FFP2, EN149: 2001+A1: 2009, CE

D. On-site test and data measurement (According to QAP; P.O or Approval Sample)

Check point	Qty	Spec / Tolerance	Approval sample	Test result																																																						
Packing-Carton number check	Whole lot	N/A	N/A	N/A																																																						
Packing-Transit test: drop test	1 carton	Height: 72cm, 10times	N/A	Passed																																																						
Performance - Size check 	5.1.1c	<table border="0"> <tr> <td>Type A</td> <td>Type B</td> </tr> <tr> <td>A. 75mm</td> <td>A. 62mm</td> </tr> <tr> <td>B. 64mm</td> <td>B. 60mm</td> </tr> <tr> <td>C. 55mm</td> <td>C. 69mm</td> </tr> <tr> <td>D. 160mm</td> <td>D. 159mm</td> </tr> <tr> <td>E. 106mm</td> <td>E. 106mm</td> </tr> <tr> <td colspan="2">±4mm</td> </tr> <tr> <td>F. >13mm</td> <td></td> </tr> <tr> <td>G. >12mm</td> <td></td> </tr> <tr> <td colspan="2">Ear loop: 200~220mm</td> </tr> </table>	Type A	Type B	A. 75mm	A. 62mm	B. 64mm	B. 60mm	C. 55mm	C. 69mm	D. 160mm	D. 159mm	E. 106mm	E. 106mm	±4mm		F. >13mm		G. >12mm		Ear loop: 200~220mm		<table border="0"> <tr> <td>A. 74mm</td> <td></td> </tr> <tr> <td>B. 63mm</td> <td></td> </tr> <tr> <td>C. 55mm</td> <td></td> </tr> <tr> <td>D. 160mm</td> <td></td> </tr> <tr> <td>E. 105mm</td> <td></td> </tr> <tr> <td>F. 14mm</td> <td></td> </tr> <tr> <td>G. 12mm</td> <td></td> </tr> <tr> <td colspan="2">Ear loop: 210mm</td> </tr> </table>	A. 74mm		B. 63mm		C. 55mm		D. 160mm		E. 105mm		F. 14mm		G. 12mm		Ear loop: 210mm		<table border="0"> <tr> <td>Type A</td> <td>Type B</td> </tr> <tr> <td>A. 75mm</td> <td>A. 61-63mm</td> </tr> <tr> <td>B. 63-65mm</td> <td>B. 60mm</td> </tr> <tr> <td>C. 55mm</td> <td>C. 68-70mm</td> </tr> <tr> <td>D. 160mm</td> <td>D. 158-160mm</td> </tr> <tr> <td>E. 105-107mm</td> <td>E. 105-107mm</td> </tr> <tr> <td>F. 14-14.5mm</td> <td>F. 14-14.5mm</td> </tr> <tr> <td>G. 12mm</td> <td></td> </tr> <tr> <td colspan="2">Ear loop: 200~215mm</td> </tr> </table>	Type A	Type B	A. 75mm	A. 61-63mm	B. 63-65mm	B. 60mm	C. 55mm	C. 68-70mm	D. 160mm	D. 158-160mm	E. 105-107mm	E. 105-107mm	F. 14-14.5mm	F. 14-14.5mm	G. 12mm		Ear loop: 200~215mm	
Type A	Type B																																																									
A. 75mm	A. 62mm																																																									
B. 64mm	B. 60mm																																																									
C. 55mm	C. 69mm																																																									
D. 160mm	D. 159mm																																																									
E. 106mm	E. 106mm																																																									
±4mm																																																										
F. >13mm																																																										
G. >12mm																																																										
Ear loop: 200~220mm																																																										
A. 74mm																																																										
B. 63mm																																																										
C. 55mm																																																										
D. 160mm																																																										
E. 105mm																																																										
F. 14mm																																																										
G. 12mm																																																										
Ear loop: 210mm																																																										
Type A	Type B																																																									
A. 75mm	A. 61-63mm																																																									
B. 63-65mm	B. 60mm																																																									
C. 55mm	C. 68-70mm																																																									
D. 160mm	D. 158-160mm																																																									
E. 105-107mm	E. 105-107mm																																																									
F. 14-14.5mm	F. 14-14.5mm																																																									
G. 12mm																																																										
Ear loop: 200~215mm																																																										
Performance - Weight check	5.1.1c	Not less than 4.2g	4.6g	4.5g--4.6g																																																						
Performance - Fitting check	5.1.1c	Must fit the audit's head, easy to wear and remove 25 cycles per minute, 20 minutes, cannot be damaged	N/A	Passed																																																						
Performance - Nose clip check	5.1.1c	Each mask must be equipped with a nose clip, folded 10times repeatedly and must not break.	N/A	Passed																																																						
Performance -Ear loop tension test	5.1.1c	Apply 10N pull, the mask strap and the body cannot be separated. Stretch length should not be less than 2 times the length	N/A	Passed																																																						

ADM Promotions Hong Kong Limited

Unit A, 4/F, Kaiser Estate, Phase I,
No. 41 Man Yue Street, Hung Hom Kowloon, Hong Kong
Tel: (852) 27105100 / Fax: (852) 23636915
E-mail: 5.1.2e@hkg.admgroup.com

FINAL INSPECTION REPORT


Material- Flame retardant check	5.1.1c	After leaving the flame, continue to burn for no more than 5 seconds. (Molten cloth material)	N/A	Passed
Material- Humidity check	5.1.1c	Fabric humidity must under 10%	N/A	Passed(5%-6%)
Packing-Unit quantity in master carton test	5.1.1c	600pcs per carton	N/A	Passed
Material- Odor test	5.1.1c	Without pleasant odor	N/A	Passed
Material- material layer quantity check	5.1.1c	Main four layers, that is two layers of non-woven cloth, two layers of molten cloth	N/A	Passed
Laser light through test	5.1.1c	Filter layer (Molten cloth) should block the laser light, any light leak failed.	N/A	Passed
Performance- Water leakage test	5.1.1c	Filled 20ml water in the mask keep for 4 hours, any slight leak was failed.	N/A	Passed
Lot code check	5.1.1c	LK-003-A004 on poly bag, inner box and master carton.	N/A	Passed
Bar code scan check	5.1.1c	6973133450018 on poly bag. 6973133450025 on inner box. 6873133450032 on master carton.	N/A	Passed
Color fastness for running test	5.1.1c	For unit printing/markings: Rubbing all the markings/printings for 15 sec with a piece of cloth soaked with water. After drying the unit, rubbing the marking/printings for a father 15 sec with a piece of cloth soaked in 95% alcohol.	N/A	Passed
Material - printing check on the mask	Level II	Lexuslance LK-003 CE FFP2 EN149: 2001+A1: 2009	N/A	Passed
Material - printing check on the packaging	Level II	Clearly visible	N/A	Passed
Material thickness	5.1.1c	-First non-woven cloth: $\geq 0.38\text{mm}$ -Second layers of molten cloth: $\geq 0.14\text{mm}$ -Third layers of molten cloth: $\geq 0.14\text{mm}$ -Fourth non-woven cloth: $\geq 0.16\text{mm}$	N/A	-First non-woven cloth: 0.38-0.40mm -Second layers of molten cloth: 0.14-0.15mm -Third layers of molten cloth: 0.15mm -Fourth non-woven cloth: 0.16-0.18mm
Cosmetic - Tape Test	5.1.1c	Over 15% printed peel off failed	N/A	Passed

ADM Promotions Hong Kong Limited

Unit A, 4/F, Kaiser Estate, Phase 1,
No. 41 Man Yue Street, Hung Hom Kowloon, Hong Kong
Tel: (852) 27105100 / Fax: (852) 23636915
E-mail: 512e@hkg.admgroup.com

FINAL INSPECTION REPORT



Others-Check factory material record	N/A	N/A	N/A	Nil
--------------------------------------	-----	-----	-----	-----


E. Photo of product and specs:



ADM Promotions Hong Kong Limited

Unit A, 4/F, Kaiser Estate, Phase 1,
No. 41 Man Yue Street, Hung Hom Kowloon, Hong Kong
Tel: (852) 27105100 / Fax: (852) 23636915
E-mail: 512e@hkh.admgroup.com



FINAL INSPECTION REPORT



ADM Promotions Hong Kong Limited

Unit A, 4/F, Kaiser Estate, Phase 1,
No. 41 Man Yue Street, Hung Hom Kowloon, Hong Kong
Tel: (852) 27105100 / Fax: (852) 23636915
E-mail: 512e@hkh.admgroup.com

FINAL INSPECTION REPORT



ADM Promotions Hong Kong Limited

Unit A, 4/F, Kaiser Estate, Phase 1,
No. 41 Man Yue Street, Hung Hom Kowloon, Hong Kong
Tel: (852) 27105100 / Fax: (852) 23636915
E-mail: 512e@hkh.admgroup.com


FINAL INSPECTION REPORT



ADM Promotions Hong Kong Limited

Unit A, 4/F, Kaiser Estate, Phase I,
No. 41 Man Yue Street, Hung Hom Kowloon, Hong Kong
Tel: (852) 27105100 / Fax: (852) 23636915
E-mail: 512e@hk.admgroup.com


FINAL INSPECTION REPORT



ADM Promotions Hong Kong Limited

Unit A, 4/F, Kaiser Estate, Phase 1,
No. 41 Man Yue Street, Hung Hom Kowloon, Hong Kong
Tel: (852) 27105100 / Fax: (852) 23636915
E-mail: 5.1.2e@hkg.admgroup.com

FINAL INSPECTION REPORT



ADM Promotions Hong Kong Limited

Unit A, 4/F, Kaiser Estate, Phase I,
No. 41 Man Yue Street, Hung Hom Kowloon, Hong Kong
Tel: (852) 27105100 / Fax: (852) 23636915
E-mail: 512e@hkg.admgroup.com

FINAL INSPECTION REPORT



ADM Promotions Hong Kong Limited

Unit A, 4/F, Kaiser Estate, Phase 1,
No. 41 Man Yue Street, Hung Hom Kowloon, Hong Kong
Tel: (852) 27105100 / Fax: (852) 23636915
E-mail: 512e@hkh.admgroup.com

FINAL INSPECTION REPORT



<p>Carton size check</p>	<p>Carton weight check</p>
<p>Drop test</p>	<p>Size detail position</p>
<p>Size check</p>	<p>Weight check</p>

ADM Promotions Hong Kong Limited

Unit A, 4/F, Kaiser Estate, Phase 1,
No. 41 Man Yue Street, Hung Hom Kowloon, Hong Kong
Tel: (852) 27105100 / Fax: (852) 23636915
E-mail: 5.1.2e@hkg.admgroup.com

FINAL INSPECTION REPORT



ADM Promotions Hong Kong Limited

Unit A, 4/F, Kaiser Estate, Phase 1,
No. 41 Man Yue Street, Hung Hom Kowloon, Hong Kong
Tel: (852) 27105100 / Fax: (852) 23636915
E-mail: 512e@hkg.admgroup.com

FINAL INSPECTION REPORT



ADM Promotions Hong Kong Limited

Unit A, 4/F, Kaiser Estate, Phase I,
No. 41 Man Yue Street, Hung Hom Kowloon, Hong Kong
Tel: (852) 27105100 / Fax: (852) 23636915
E-mail: 5.1.2e@hkh.admgroup.com

FINAL INSPECTION REPORT



<p style="text-align: center;">Lot code check</p> <p>2) This product was manufactured in a clean environment. If the packaging is damaged, do not use the product. 3) Use with caution for those who are allergic to non-woven fabrics. 4) After the product is used, it should be disposed of according to local laws and regulations. (Storage conditions): should be stored in 0-30°C and a dry, ventilated, non-corrosive environment, away from fire sources and flammable materials. (Production date): See coding (Validity): one year Registry, manufacture, after-sales service unit: Huizhou Lexus, Inc. Technology Co., Ltd. Production Address: Phase A, Plant A, EelingXiechang Company, Wang Village, Chenjiang Street Office, Zhongkai High-tech Zone, Huzhou LK-203-004 23042200 Postcode: 516001 6 973133 450018 HUIZHOU LEXUS TECHNOLOGY CO., LTD. MADE IN CHINA</p>	<p style="text-align: center;">Bar code scan</p> <p style="text-align: center;">检阅</p> <p style="text-align: center;">读取代码: 6973133450018</p>
---	--

F. Photo of defect found during AQL

Critical safety defects:

NIL	NIL
-----	-----

Critical function defects:

NIL	NIL
-----	-----

Major defects:

<p style="text-align: center;">Poor packing for poly bag(Bar code can't read)</p> <p>Distance LK-003 FFP2 EN149:2001+A1:2009</p>	NIL
---	-----

Minor defects:

NIL	NIL
-----	-----

ADM Inspector: 5.1.2e

Vendor: 5.1.2e