

	Movianto (internal use) fields
	<b>Mandatory Fields</b>
	Non-Mandatory fields
	Mandatory for Order-to-cash
	Mandatory for Dangerous Goods
	Mandatory for Export items

<b>NOTE</b>	The default symbol for decimals is a dot (.)
	Illegal characters (<, >, ", ', ...) are NOT allowed
	Do not add or move columns in the template

**Field explanation →**  
also see tabs: **Fields explanation**

Name in other language

RecordKey	ItemCode	ItemName	ForeignName
RecordKey	ItemCode	ItemName	FrghName
	92581	BD Emerald Syringe, 3 ml LS ref 302986	
	92580	SOL-M luer lock syringe, 3ml LSM180003	
	92951	NATRIUMCHLORIDE 9MG AMP 20X10ML CF NL	
	92952	NATRIUMCHLORIDE 9MG AMP 20X5ML CF NL	

Entiteit COVID-19

Sales VAT	Supplier code	Itemcode in WMS of supplier		Sales UOM	Length (cm)
SalesVATGroup	Mainsupplier	SupplierCatalogNo	Manufacturer	SalesUnit	SalesUnitLength
VatGourpSa	CardCode	SuppCatNum	FirmCode	SalUnitMsr	SLength1
				EA	42
				EA	14
				EA	9.5
				EA	9.5

Width (cm)	Height (cm)	Volume (cm <sup>3</sup> )	Weight (gram)	Purchase VAT
SalesUnitWidth	SalesUnitHeight	SalesUnitVolume	SalesUnitWeight	PurchaseVATGroup
SWidth1	SHeight1	SVolume	SWeight1	VatGroupPu
14.5	6.5	3958.5	460	
21	13.7	4027.8	700	
9	9	769.5	320	
9	7	598.5	190	

DefaultWarehouse	ShipType	Has Batch Numbers?	Has expiry date?	Has serialnumber?
DefaultWarehouse	ShipType	ManageBatchNumbers	U_PMX_HBBD	U_PMX_HSER
DfitWH	ShipType	ManBtchNum	U_PMX_HBBD	U_PMX_HSER
OSS		Y	Y	N
OSS		Y	Y	N
OSS		Y	Y	N
OSS		Y	Y	N

Track location serial number?	Status receipt	Status Return	Do not ship with less than [# days] remaining shelf life	Units per pallet
U_PMX_TLSN	U_PMX_QSCR	U_PMX_QSSR	U_PMX_SLID	U_PMX_DR_APP
U_PMX_TLSN	U_PMX_QSCR	U_PMX_QSSR	U_PMX_SLID	U_PMX_DR_APP
	QUARANTI	RETURNED	NA	28800
	QUARANTI	RETURNED	NA	19200
	QUARANTI	RETURNED	NA	16000
	QUARANTI	RETURNED	NA	24000

Units per box	Units per pack <b>(1 is not allowed)</b>	Net weight per SKU <b>(in grams)</b>	Gross weight per sku <b>(in grams)</b>
U_PMX_DR_APD	U_PMX_DR_APPA	U_PMX_DG_NWKVE	U_PMX_DG_NWSKU
U_PMX_DR_APD	U_PMX_DR_APPA	U_PMX_DG_NWKVE	U_PMX_DG_NWSKU
2400	100	460	460
800	100	700	700
1000	20	320	320
1000	20	190	190

Temperature Conditions	UN Code assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods
ZoneType	J_PMX_DG_UNCODE
ZoneType	J_PMX_DG_UNCODE
	+15°C +25°C
	+15°C +25°C
	+15°C +25°C
	+15°C +25°C

Packing group of the material	Dangerous Good Class	MSDS: Material Safety Data Sheet number or name
U_PMX_DG_PKGGRP	U_PMX_DG_CLASS	U_PMX_DG_MSDS
U_PMX_DG_PKGGRP	U_PMX_DG_CLASS	U_PMX_DG_MSDS

Country of origin	Liquid/Solid	Net Weight Dangerous Goods per SKU (in grams)
U_PMX_DG_CTRYOFRG	U_PMX_DG_LIQSOL	U_PMX_DG_VOLKVE
U_PMX_DG_CTRYOFRG	U_PMX_DG_LIQSOL	U_PMX_DG_VOLKVE

Volume Dangerous Goods per		
SKU (in milliliters)	HSCode: Harmonized System code	GTIN - 14 chars
U_PMX_DG_VOLSKU	U_PMX_DG_HSCODE	GTIN
U_PMX_DG_VOLSKU	U_PMX_DG_HSCODE	CodeBars

Serialization flag (Y/N)	Bonded warehouse? (Y/N)	Inactive	Active	Properties? (Y/N)
U_MOV_SERIAL	Bonded warehouse	Frozen	Valid	Properties
Serialized	Bonded warehouse	frozenFor	validFor	Properties
N	N			
N	N			
N	N			
N	N			

<b>Note:</b>	<b>The default symbol for decimals is a dot (.)</b>
	<b>Illegal characters (&lt;, &gt;, ", ', ...) are NOT allowed</b>
	<b>Do not add or move columns in the template</b>

	Movianto fields (internal use)
	Mandatory Fields
	Non-Mandatory fields
	Mandatory for Order-to-cash
	Mandatory for Dangerous Goods
	Mandatory for Export items

Fields		Field length	Field type
ItemCode	ItemCode	20	number
ItemName	ItemName	50	txt
SalesUnit	SalUnitMsr	6	txt
SalesUnitLength	SLength1	10	number
SalesUnitWidth	SWidth1	10	number
SalesUnitHeight	SHeight1	10	number
SalesUnitVolume	SVolume	10	number
SalesUnitWeight	SWeight1	10	number
ManageBatchNumbers	ManBtchNum	1	txt
U_PMX_HBBD	U_PMX_HBBD	1	txt
U_PMX_HSER	U_PMX_HSER	1	txt
U_PMX_QSCR	U_PMX_QSCR		txt
U_PMX_QSSR	U_PMX_QSSR		txt
U_PMX_SLID	U_PMX_SLID		number
U_PMX_DR_APP	U_PMX_DR_APP	10	number
U_PMX_DR_APD	U_PMX_DR_APD	10	number
U_PMX_DR_APPA	U_PMX_DR_APPA	10	number
U_PMX_DG_NWKVE	U_PMX_DG_NWKVE	19	number
U_PMX_DG_NWSKU	U_PMX_DG_NWSKU	19	number
ZoneType	ZoneType		txt

			
Serialized	U_MOV_SERIAL	1	txt
Bonded warehouse	Bonded warehouse	1	txt

Mandatory	Comments	Available Values
Y		
Y		
Y	Sales UOM	EA Carton Pallet
Y	Length (cm) of smallest sellable unit (SKU)	
Y	Width (cm) of smallest sellable unit (SKU)	
Y	Height (cm) of smallest sellable unit (SKU)	
Y	Volume (cm <sup>3</sup> ) of smallest sellable unit (SKU)	
Y	Weight (gram) of smallest sellable unit (SKU)	
Y	Has Batch Numbers?	Y N
Y	Has expiry date?	Y N
Y	Has serial number	Y N
Y	Status receipt	RELEASED QUARANTI
Y	Status Return	RETURNED REJECTED
Y	Do not ship with less than [# days] remaining shelf life	
Y	Units per pallet	
Y	Units per box	
Y	Units per pack (1 is not allowed)	
Y	Net weight per SKU (in grams)	
Y	Gross weight per SKU (in grams)	
Y	Temperature Conditions	+15°C +25°C CY +15°C +25°C HS +15°C +25°C HI +15°C +25°C DG1 +15°C +25°C DG3 +15°C +25°C CD +15°C +25°C +2°C +8°C CY +2°C +8°C HS +2°C +8°C

		DG1 +2°C +8°C DG3 +2°C +8°C CD2 +2°C +8°C -20°C -25°C -35°C -45°C -65°C -85°C BRICS
Y	Is the product serialized?	Y N
Y	Bonded warehouse?	Y N

Note:	The default symbol for decimals is a dot (.)
	Illegal characters (<, >, ", ', ...) are NOT allowed
	Do not add or move columns in the template

	Movianto fields (internal use)
	Mandatory Fields
	Non-Mandatory fields
	Mandatory for Order-to-cash
	Mandatory for Dangerous Goods
	Mandatory for Export items

Fields		Field length	Field type
U_PMX_DG_UNCODE	U_PMX_DG_UNCODE	6	txt
U_PMX_DG_PKGGRP	U_PMX_DG_PKGGRP	6	txt
U_PMX_DG_CLASS	U_PMX_DG_CLASS	30	txt
U_PMX_DG_MSDS	U_PMX_DG_MSDS	30	txt
U_PMX_DG_LIQSOL	U_PMX_DG_LIQSOL	1	txt
U_PMX_DG_VOLKVE	U_PMX_DG_VOLKVE	19	number
U_PMX_DG_VOLSKU	U_PMX_DG_VOLSKU	19	number

Mandatory	Comments	Available Values
Y	UN1170 Ethanol (Ethyl alcohol) solution UN1219 Isopropanol UN1230 Methanol UN1274 n-propanol UN1814 Potassium Hydroxide solution UN1824 Sodium hydroxide solution UN1950 Aerosols, flammable UN1987 Alcohols, n.o.s. UN1992 Flammable liquid, toxic, n.o.s. UN1993 Flammable liquid, n.o.s. UN2920 Corrosive liquid, flammable, n.o.s. UN3077 Environmentally dangerous substance, solid, n.o.s. UN3082 Environmentally hazardous substance, liquid n.o.s. UN3175 Solids containing flammable liquid, n.o.s. UN3265 Corrosive liquid, acidic, organic, n.o.s. UN3266 Corrosive liquid, basic, inorganic, n.o.s. UN3334 Aviation regulated liquid, n.o.s. UN3373 Biological substance, category B UN3481 Lithium ion batteries contained in equipment	UN1170 UN1219 UN1230 UN1274 UN1814 UN1824 UN1950 UN1987 UN1992 UN1993 UN2920 UN3077 UN3082 UN3175 UN3265 UN3266 UN3334 UN3373 UN3481
Y	Packing group of the material	PG I PG II PG III
Y	Dangerous Good Class	Klasse 2.1 Klasse 2.2 Klasse 3 Klasse 3 (6.1) Klasse 4.1 Klasse 6.2 Klasse 8 Klasse 8 (3) Klasse 9
Y	MSDS: Material Safety Data Sheet number or name	
Y	Liquid/Solid	L S
Y/N	Net Weight Dangerous Goods per SKU (in grams) <b>Mandatory when solid</b>	
Y/N	Volume Dangerous Goods per SKU (in millilitres) <b>Mandatory when liquid</b>	

<b>Note:</b>	<b>The default symbol for decimals is a dot (.)</b>
	<b>Illegal characters (&lt;, &gt;, ", ' , ...) are NOT allowed</b>
	<b>Do not add or move columns in the template</b>

	Movianto fields (internal use)
	Mandatory Fields
	Non-Mandatory fields
	Mandatory for Order-to-cash
	Mandatory for Dangerous Goods
	Mandatory for Export items

Fields		Field length	Field type
U_PMX_DG_CTRYOFRG	U_PMX_DG_CTRYOFRG	3	txt
U_PMX_DG_HSCODE	U_PMX_DG_HSCODE	15	txt

Mandatory	Comments	Available Values
N	Country of origin according to ISO3166 table	
N	HSCode: Harmonized System code	

<b>Note:</b>	<b>The default symbol for decimals is a dot (.)</b>
	<b>Illegal characters (&lt;, &gt;, ", ' , ...) are NOT allowed</b>
	<b>Do not add or move columns in the template</b>

	Moviato fields (internal use)
	Mandatory Fields
	Non-Mandatory fields
	Mandatory for Order-to-cash
	Mandatory for Dangerous Goods
	Mandatory for Export items

Fields		Field length	Field type
RecordKey	RecordKey		
ItemCode	ItemCode	20	number
ItemName	ItemName	50	txt
ForeignName	FrgnName	50	txt
SalesVATGroup	VatGourpSa	8	txt
Mainsupplier	CardCode		
SupplierCatalogNo	SuppCatNum	20	number
Manufacturer	FirmCode	20	number
SalesUnit	SalUnitMsr	6	txt
SalesUnitLength	SLength1	10	number
SalesUnitWidth	SWidth1	10	number
SalesUnitHeight	SHeight1	10	number
SalesUnitVolume	SVolume	10	number
SalesUnitWeight	SWeight1	10	number
PurchaseVATGroup	VatGroupPu	8	txt
DefaultWarehouse	DfltWH		
ShipType	ShipType		
ManageBatchNumbers	ManBtchNum	1	txt
U_PMX_HBBD	U_PMX_HBBD	1	txt
U_PMX_HSER	U_PMX_HSER	1	txt
U_PMX_TLSN	U_PMX_TLSN	1	txt

U_PMX_QSCR	U_PMX_QSCR		txt
U_PMX_QSSR	U_PMX_QSSR		txt
U_PMX_SLID	U_PMX_SLID		number
U_PMX_DR_APP	U_PMX_DR_APP	10	number
U_PMX_DR_APD	U_PMX_DR_APD	10	number
U_PMX_DR_APPA	U_PMX_DR_APPA	10	number
U_PMX_DG_NWKVE	U_PMX_DG_NWKVE	19	number
U_PMX_DG_NWSKU	U_PMX_DG_NWSKU	19	number
ZoneType	ZoneType		txt
U_PMX_DG_UNCODE	U_PMX_DG_UNCODE	6	txt
U_PMX_DG_PKGGRP	U_PMX_DG_PKGGRP	6	txt

U_PMX_DG_CLASS	U_PMX_DG_CLASS	30	txt
U_PMX_DG_MSDS	U_PMX_DG_MSDS	30	txt
U_PMX_DG_CTRYOFRG	U_PMX_DG_CTRYOFRG	3	txt
U_PMX_DG_LIQSOL	U_PMX_DG_LIQSOL	1	txt
U_PMX_DG_VOLKVE	U_PMX_DG_VOLKVE	19	number
U_PMX_DG_VOLSKU	U_PMX_DG_VOLSKU	19	number
U_PMX_DG_HSCODE	U_PMX_DG_HSCODE	15	txt
GTIN	CodeBars	14	number
Serialized	U_MOV_SERIAL	1	txt
Bonded warehouse	Bonded warehouse	1	txt
Frozen	frozenFor	4	txt
Valid	validFor	4	txt
Properties	Properties	1	txt

Mandatory	Comments	Available Values
Y		
Y		
N	Name in other language	
N	Sales VAT	A0 A1 A2 A3 A4 A5 A6 A7
N		
N	Item code in WMS of supplier	
N	Firm Code	
Y	Sales UOM	EA Carton Pallet
Y	Length (cm) of smallest sellable unit (SKU)	
Y	Width (cm) of smallest sellable unit (SKU)	
Y	Height (cm) of smallest sellable unit (SKU)	
Y	Volume (cm <sup>3</sup> ) of smallest sellable unit (SKU)	
Y	Weight (gram) of smallest sellable unit (SKU)	
N	Purchase VAT	V0 V1 V2
N		
N		
Y	Has Batch Numbers?	Y N
Y	Has expiry date?	Y N
Y	Has serial number	Y N
N	Track location serial number?	Y N

Y	Status receipt	RELEASED QUARANTI
Y	Status Return	RETURNED REJECTED
Y	Do not ship with less than [# days] remaining shelf life	
Y	Units per pallet	
Y	Units per box	
Y	Units per pack (1 is not allowed)	
Y	Net weight per SKU (in grams)	
Y	Brute weight per SKU (in grams)	
Y	Temperature Conditions	+15°C +25°C CY +15°C +25°C HS +15°C +25°C HI +15°C +25°C DG1 +15°C +25°C DG3 +15°C +25°C CD +15°C +25°C +2°C +8°C CY +2°C +8°C HS +2°C +8°C DG1 +2°C +8°C DG3 +2°C +8°C CD2 +2°C +8°C -20°C -25°C -35°C -45°C -65°C -85°C BRICS
Y	UN1170 Ethanol (Ethyl alcohol) solution UN1219 Isopropanol UN1230 Methanol UN1274 n-propanol UN1814 Potassium Hydroxide solution UN1824 Sodium hydroxide solution UN1950 Aerosols, flammable UN1987 Alcohols, n.o.s. UN1992 Flammable liquid, toxic, n.o.s. UN1993 Flammable liquid, n.o.s. UN2920 Corrosive liquid, flammable, n.o.s. UN3077 Environmentally dangerous substance, solid, n.o.s. UN3082 Environmentally hazardous substance, liquid n.o.s. UN3175 Solids containing flammable liquid, n.o.s. UN3265 Corrosive liquid, acidic, organic, n.o.s. UN3266 Corrosive liquid, basic, inorganic, n.o.s. UN3334 Aviation regulated liquid, n.o.s. UN3373 Biological substance, category B UN3481 Lithium ion batteries contained in equipment	UN1170 UN1219 UN1230 UN1274 UN1814 UN1824 UN1950 UN1987 UN1992 UN1993 UN2920 UN3077 UN3082 UN3175 UN3265 UN3266 UN3334 UN3373 UN3481
Y (DG)	Packing group of the material	PG I PG II

		PG III
Y (DG)	Dangerous Good Class	Klasse 2.1 Klasse 2.2 Klasse 3 Klasse 3 (6.1) Klasse 4.1 Klasse 6.2 Klasse 8 Klasse 8 (3) Klasse 9
Y (DG)	MSDS: Material Safety Data Sheet number or name	
Y (EXP)	Country of origin	According to ISO3166 table
Y (DG)	Liquid/Solid	L S
Y/N	Net Weight Dangerous Goods per SKU (in grams) <b>Mandatory when solid</b>	
Y/N	Volume Dangerous Goods per SKU (in millilitres) <b>Mandatory when liquid</b>	
Y (EXP)	HSCode: Harmonized System code	
N	14 char product/GTIN code	
Y	Is the product serialized?	Y N
Y	Bonded warehouse?	Y N
N	Inactive	tYES tNO
N	Inactive	tYES tNO
N	Determined internally in consultation with CS and IT on the basis of the specific article properties	Y N