

To: (10)(2e) (10)(2e) (10)(2e) (10)(2e) (10)(2e) @rivm.nl
From: IIV-secretariaat
Sent: Thur 5/7/2020 6:09:55 AM
Subject: FW: URGENT: Covid-19 - at home testing CRM:01930928
Received: Thur 5/7/2020 6:09:55 AM

Hij had je zelf al gemaïld, maar doet dit nu via mij*
 Graag naar kijken als je tijd hebt.
 Groet, (10)(2e)

From: (10)(2e) <(10)(2e)@dnagenotek.com>
Sent: woensdag 6 mei 2020 16:55
To: IIV-secretariaat <(10)(2e)@rivm.nl>
Subject: RE: URGENT: Covid-19 - at home testing CRM:01930928

Hello,

I had sent the email below to (10)(2e) but I imagine she is very busy with COVID. Are you able to pass the message onto her please? I was also thinking that instead of swapping the kits they have in backlog for sequencing services, we could swap them for saliva kits instead and these could be used for potential COVID-19 use.

Thoughts?

Best,
 (10)(2e)

From: (10)(2e)
Sent: May-05-20 5:10 PM
To: (10)(2e) (10)(2e) (10)(2e) (10)(2e) <(10)(2e)@rivm.nl>
Subject: RE: URGENT: Covid-19 - at home testing CRM:01930928

Hi (10)(2e)

Are you able to connect me with the tem in charge of COVID-19 work at RIVM? Since my last email, swab based approaches are looking unreliable while saliva is proving to be a more sensitive sample type for SARS-CoV-2 detection. It would be great to get samples in the hands of your colleagues making these decisions.

Best,
 (10)(2e)

(10)(2e) (10)(2e)
 (10)(2e) (10)(2e)

Visit our blog, **The Microbiome Snapshot** at <https://blog.dnagenotek.com/microbiome>
 If you would like to opt out of email from DNA Genotek, you can unsubscribe [here](#).

10

From: (10)(2e)
Sent: March-19-20 10:01 AM
To: (10)(2e) (10)(2e) (10)(2e) (10)(2e) <(10)(2e)@rivm.nl>
Subject: URGENT: Covid-19 - at home testing

Hello (10)(2e)

Hope all is well at this time. I was hoping you could connect me with the right person. A number of groups in (10)(2a) are validating our saliva microbiome kits for at-home diagnosis of Covid-19. As RIVM is the public health body of the Netherlands, are there any plans to ramp up testing while encouraging social distancing?

We know SARS-CoV-2 can be detected in saliva and while we haven't validated our kits for it specifically (it is novel at the end of the day), the consensus is they would work.

Best,

(b) (5) DPP

(b) (5) DPP

(b) (5) DPP

MICROBIOME

(b) (5) DPP

(b) (5) DPP

Visit our blog, **The Microbiome Snapshot** at <https://blog.dnagenotek.com/microbiome>
If you would like to opt out of email from DNA Genotek, you can unsubscribe [here](#).

The information contained in this e-mail message and any attachment hereto is legally privileged and confidential information intended only for the use of the individual(s) named above. If the reader of this message is not an intended recipient, you are hereby notified that any use, dissemination, distribution or copying of this e-mail message and any attachment hereto is strictly prohibited. If you have received this e-mail message in error, please immediately notify the above-noted sender by telephone and erase all copies of this message from your computer. Thank you for your cooperation.