



Rijksinstituut voor Volksgezondheid
en Milieu
*Ministerie van Volksgezondheid,
Welzijn en Sport*

COVID-19 vaccination in elderly homes and homes for mentally disabled

5.1.2e

5.1.4e

5.1.2e

RIVM



Health Council advice

What is the strategy the Health Council advised in November 2020?

- a. Reducing the spread of the SARS-CoV-2 virus
- b. Preventing social disruption
- c. Reducing (serious) illness and mortality
- d. Preventing political unrest

Prioritization:

Nov 2020

- Elderly and mentally disabled persons within nursing homes or institutions
- Healthcare workers with direct patient contact
- 60+ and citizens at medical risk and carers



Role of RIVM in implementation of vaccinations

- Coordination of programme
- Advice Health Council
- Vaccine logistics
- Develop training material
- Communication



Role of RIVM in implementation of vaccinations

- **Coordination of programme**
- Advice Health Council
- Vaccine logistics
- Develop training material
- Communication



Weekly meetings with stakeholders

November/December 2020:

First vaccine available is Comirnaty from Pfizer&BioNTech

– 975 doses in 1 package

(not allowed to repack at that moment)

Not possible to bring these people to a centralized place
such as a municipal health service





What is being discussed in these meetings?

- **Prioritization of group**
- **Timeline**
- **Vaccine logistics**
- **Agreement from legal representative**
- **Training provision**
- Communication
- Ordering vaccines
- Registration
- Finances



1. Prioritization of group

	Nursing and caring	Mentally disabled	Totaal
Zin verblijf	125.265	76.150	201.415
Volledig pakket thuis (VPT)	9.935	4.075	14.010
Persoons gebonden budget (pgb) – Woontoeslagen	2.500	5.000	7.500
Eerstelijnsverblijf (ELV) en geriatrische revalidatiezorg (GRZ)			9000
	137.700	85.225	231.925



1. Prioritization of group

Journal List > medRxiv > PMC7654903



Version 1. [medRxiv](#). Preprint. 2020 Nov 5.

PMCID: PMC7654903

doi: [10.1101/2020.11.03.20225359](https://doi.org/10.1101/2020.11.03.20225359)

PMID: [33173907](https://pubmed.ncbi.nlm.nih.gov/33173907/)



This article is a preprint.

Preprints have not been peer reviewed.

To learn more about preprints in PMC see: [NIH Preprint Pilot](#).

Preprint

An international survey on the impact of COVID-19 in individuals with Down syndrome

[Anke Hüls](#), [Alberto C. S. Costa](#), [Mara Dierssen](#), [R. Asaad Baksh](#), [Stefania Bargagna](#), [Nicole T. Baumer](#), [Ana Claudia Brandão](#), [Angelo Carli](#), [Maria Carmona-Iragui](#), [Brain Allen Chicoine](#), [Sujay Ghosh](#), [Monica Lakhanpaul](#), [Coral Manso](#), [Miguel-Angel Mayer](#), [Maria del Carmen Ortega](#), [Diego Real de Asua](#), [Anne-Sophie Rebillat](#), [Lauren Ashley Russell](#), [Giuseppina Sgandurra](#), [Diletta Valentini](#), [Stephanie L. Sherman](#), and [Andre Strydom](#)

► Copyright and License information [Disclaimer](#)



2. Vaccine logistics part 1

Distribution of vaccines regionally

- At first, not allowed according to inspection.
- End of December, It was allowed!

Possible to bring vaccines from one location to another?





2. Vaccine logistics part 2

- What to do with empty vials?



2. Vaccine logistics part 3

Vaccine registration card

How to get these cards at the right place?



Rijksinstituut voor Volksgezondheid
en Milieu
Ministerie van Volksgezondheid,
Welzijn en Sport

Registratiekaart coronavaccinatie

Bewaar dit kaartje goed en breng het mee bij uw volgende afspraak!

Naam:

Geboortedatum:

Datum vaccinatie 1:

Productnaam:

Batchnummer:

Datum vaccinatie 2:

Productnaam:


Batchnummer:

0247908

Meer informatie over de vaccinatie tegen corona vindt u op
[coronavaccinatie.nl](https://www.coronavaccinatie.nl)



3. Timeline





3. Timeline part 2

- Debate in parliament
- Political pressure to start before February.
- Now we are working on a start in January.

[Home](#) > [Kamerstukken](#) > [Plenaire verslagen](#) > [Debatten in het kort](#)

Delen 

Kamer bespreekt ontwikkelingen rondom het coronavirus

5 januari 2021, debat - De Kamer debatteert met minister-president Rutte, minister De Jonge van Volksgezondheid en minister Van Ark voor Medische Zorg over de aanpak van het coronavirus en in het bijzonder over het vaccinatiebeleid.



4. Consent (best interest decision)

Before giving a COVID-19 vaccine, immunisers must ensure that they have obtained informed consent from the patient or that a best interest decision has been made if the patient does not have mental capacity at the time of vaccination.

It takes 2-3 weeks to get this consent and you need to have information on the vaccine before you can get consent.

Start sooner



Number of consent forms



Role of RIVM in implementation of vaccinations

- Coordination of programme
- Advice Health Council
- Vaccine logistics
- **Develop training material**
- Communication



Training material

- Guidelines
- E-learning
- Q&As



Rijksinstituut voor Volksgezondheid
en Milieu
Ministerie van Volksgezondheid,
Welzijn en Sport

Richtlijn uitvoering COVID-19-vaccinatie 2021

Professionele standaard voor COVID-19-vaccinatie

Versie 1.0

31 december 2020



1. Guideline

Based on:

- Health Council advice
- Vaccine prescriptions
- Plotkin "Vaccine"

All professionals involved in the vaccination process are included in writing this guideline

Why is this important?



Epilepsy contra-indication of vaccination?

- In case of epilepsy, vaccinations can be done if the person in question has been **properly adjusted with anti-epileptic drugs or if they have been seizure-free for some time.** The doctor must be convinced of this and, if necessary, contact the treating doctor about this.

In epilepsy, a vaccination or fever after vaccination can trigger a convulsion. **In individuals who are familiar with post-vaccination seizures or fever, the physician should weigh the pros and cons of the COVID-19 vaccination.** If necessary, the doctor will contact the treating doctor about this.



2. E-learning



Hoofdstuk 4: Werking van vaccins

Het afweersysteem en virale infecties

Het afweersysteem en vaccins

De soorten vaccins

Test je kennis

RNA-vaccins

Hoe worden ze gemaakt en hoe werken ze?




Hoe veilig zijn ze?



Wat zijn de voor- en nadelen?



Krijgen wij deze vaccins in Nederland?



Terug



Verder


8/10



Hoofdstuk 5: Uitvoering vaccinatie

Voorlichting	Opdracht en uitvoering	Ondersteuning RIVM	Vaccinbeheer	Vaccinatie-toediening	Test je kennis
--------------	------------------------	--------------------	--------------	-----------------------	----------------

Voorbeeldgesprek 2
RNA-vaccin



01:01

Terug

Verder

6/26

Naar hoofdmenu

21



3. RIVM Phone number

- Logistics
(recall/distribution/vaccine incidents)
- Medically related questions
- Registration





Rijksinstituut voor Volksgezondheid
en Milieu
Ministerie van Volksgezondheid,
Welzijn en Sport

CRlos Casuïstiek Registratie Infectieziekten

Inloggen

* verplichte velden

E-mailadres:*	<input type="text"/>
Wachtwoord:*	<input type="password"/>
(Pin+)Tokencode:*	<input type="text"/>

Login



Example 1:

I.v.m. het zorgdragen van continuïteit van zorg zijn er al veel vragen rondom:

Wat als een zorgmedewerker na vaccinatie klachten heeft die lijken op covid?

- Wanneer mag ik wel/niet werken?

Wat als ik bij een kwetsbare doelgroep werk?

- Is het zinvol om, als ik klachten heb na vaccinatie, me te laten testen op covid?

Hoe gaan we hiermee om? Waar kunnen we deze informatie vinden.

What if a health care worker develops complaints after vaccination?



Example 2:

What is the advice regarding COVID-19 vaccination if you have been infected?

- a) You should no longer receive a COVID-19 vaccine as this will make your symptoms worse
- b) You shouldn't get any more COVID-19 vaccine as this will mess up your immune system.
- c) You may receive a COVID-19 vaccine, but only if you have not been seriously ill
- d) You can receive a COVID-19 vaccine 4 weeks after the start of complaints

Heeft het meerwaarde om te vaccineren wanneer je al 2x besmet bent geweest met het corona virus?

Tussen de 1e en 2e besmetting zat 4 maanden. Het gaat dus echt om 2 verschillende besmettingen met positieve uitslag van de GGD.



Questions?