

To: (10)(2e) [(10)(2e) @rivm.nl]
From: (10)(2e)
Sent: Sun 8/30/2020 12:11:11 PM
Subject: RE: SARS-CoV-2 in wastewater
Received: Sun 8/30/2020 12:11:19 PM

Hi (10)(2e)

I have been thinking of the webinars to identify challenges in SARS-CoV-2 testing in wastewater in a LMIC

- 1) Viral recovery must be cost effective
 - Some labs using centricons which is not sustainable long term
 - Labs at tertiary institutions (where most of the work is done currently) have sophisticated equipment – not always available in standard water utility labs – and not all labs have same equipment – so recommended method must be flexible with regard to equipment/analytical platforms
- 2) Sample transport/Survival of SARS-CoV-2
 - Long distances for samples to be transported – In summer the temperatures are high
- 3) Sample type & volume
 - Grab vs composite – grab would be easier in LMIC
 - Currently 200 ml sewage working well ?what when titres drop – what is minimum volume to be analysed
- 4) Comparative results
 - We use 1 ml for nucleic acid extraction others use 100 ul
 - Which gene optimal to analyse for?
- 5) Reagents
 - Most of our testing was being done at the peak of infection in lockdown – procuring reagents was a nightmare. Competing with diagnostic services for kits, now with limited international flights we have to wait for reagents

Regards

(10)(2e)

(10)(2e)

(10)(2e)

(10)(2e)

(10)(2e)

Dubbel

(10)(2e)

(10)(2e) (10)(2e) (10)(2e)

(10)(2e) (10)(2e) (10)(2e)

(10)(2e)

Dubbel