

To: (10)(2e), (10)(2e), (10)(2e) [(10)(2e)] @minvws.nl; (10)(2e), (10)(2e), (10)(2e) [(10)(2e)] @minvws.nl; (10)(2e), (10)(2e) [(10)(2e)] @minvws.nl;
Cc: (10)(2e), (10)(2e), (10)(2e) [(10)(2e)] @minvws.nl; (10)(2e), (10)(2e), (10)(2e) [(10)(2e)] @minvws.nl; (10)(2e), (10)(2e) [(10)(2e)] @minvws.nl; (10)(2e) [(10)(2e)] @minbuza.nl; (10)(2e), (10)(2e), (10)(2e) [(10)(2e)] @minvws.nl; (10)(2e), (10)(2e), (10)(2e) [(10)(2e)] @minvws.nl
From: (10)(2e), (10)(2e), (10)(2e)
Sent: Wed 5/27/2020 9:41:01 AM
Subject: FW: Survey on tests for COVID-19: additional question
Received: Wed 5/27/2020 9:41:02 AM
[Survey on testing for SARS-CoV-2 with additional question.docx](#)

Hoi allen,

Bijgevoegd ook nog het overzicht met antwoorden van alle lidstaten op de eerste twee vragen gesteld door de HSC:

1. What tests is your country using and what is their intended purpose? Please specify if tests are diagnostic (RT-PCR or antigen) or to assess immunity (antibody). Please provide information regarding test manufacturers/ brands used.
2. For each type of test in use (or where future use is planned), what quantities does your country foresee in the next 3 -6 months

Groet, (10)(2e)

(10)(2e)

(10)(2e)

(10)(2e)

Dubbel